



UNIVERSITÀ DEGLI STUDI DI PADOVA
Dipartimento Territorio e Sistemi Agro-forestali
Department of Land, Environment Agriculture and Forestry

Corso di laurea magistrale
Food and Health

**Bioactive Peptides in Alcoholic Beverages; Origin, Impact on
Quality and Future Trends**

Relatore
Prof. Alberto De Iseppi

Laureanda
Batool Fatima
Matricola n.
2040443

ANNO ACCADEMICO 2023/2024



UNIVERSITÀ DEGLI STUDI DI PADOVA
Department of Land, Environment Agriculture and Forestry

Second Cycle Degree (MSc)
in Food and Health

**Bioactive Peptides in Alcoholic Beverages; Origin, Impact on
Quality and Future Trends**

Supervisor
Prof. Alberto De Iseppi

Submitted by
Batool Fatima
Student n.
2040443

ACADEMIC YEAR 2023/2024.....

Table of contents

ABSTRACT	1
1.0 INTRODUCTION.....	2
2.0 AIM OF THE THESIS.....	5
3.0 BIOACTIVE PEPTIDES	6
3.1 Main biological activities	6
3.1.1 Antioxidant.....	6
3.1.2 Antihypertensive	8
3.1.3 Antimicrobial.....	10
3.1.4 Anticancer	10
3.1.5 Anti-obesity.....	12
3.1.6 Immunomodulatory	15
3.2 Advanced Techniques and Ethical Considerations.....	18
4.0 MICROBIAL BIOACTIVE PEPTIDES.....	19
4.1 Release Mechanisms	20
4.2 Functional Roles	21
4.2.1 Antimicrobial Activity	22
4.2.2 Enzyme Inhibition	22
4.2.3 Nutrient Absorption and Metabolism.....	23
4.3 Specific Purposes.....	24
4.3.1 Defence Mechanisms against Other Microbes.....	24
4.3.2 Communication within Microbial Communities.....	25

4.3.3 Interaction with Host Organisms	25
4.4 Impact on Food Quality.....	26
4.4.1 Preservation and Shelf-life	27
4.4.2 Nutritional Value	28
4.4.3 Sensory Properties	30
4.4.4 Safety Concerns.....	30
5.0 MICROBIAL BIOACTIVE PEPTIDES IN ALCOHOLIC BEVERAGES	32
5.1 Beer.....	33
5.1.1 Release.....	34
5.1.2 Impact on Quality	35
5.2 Wine.....	37
5.2.1 Release.....	37
5.2.2 Impact on Quality	39
5.3 Lassi.....	40
5.3.1 Release.....	40
5.3.2 Impact on Quality	41
5.4 Conclusion.....	42
6.0 PRESENT AND FUTURE TRENDS	44
6.1 Research.....	45
6.1.1 Current.....	45
6.1.2 Future.....	49

6.2 Alcoholic beverages Industry 51

6.2.1 Current..... 51

6.2.2 Future Trends and Opportunities in the Industry 52

6.2.3 Projected Market Growth 52

6.3 Emerging Technologies..... 54

6.3.1 New Applications 55

6.3.2 Overcoming Challenges 57

7.0 CONCLUSION, FUTURE PERSPECTIVES, KEY TAKEAWAYS..... 59

ABBREVIATIONS

BP: Bioactive Peptides

AB: Alcoholic Beverages

MB: Microorganisms (specifically referring to yeast and bacteria)

SAR: Structure-Activity Relationship

ROS: Reactive Oxygen Species

DNA: Deoxyribonucleic acid

ACE: Angiotensin-Converting Enzyme

eNOS: Endothelial Nitric Oxide Synthase

AMPs: Antimicrobial Peptides

CAGR: Compound Annual Growth Rate

CRISPR: Clustered Regularly Interspaced Short Palindromic Repeats

DECLARATION

I hereby declare that I have read and understood the “Anti-plagiarism rules” approved by the Council of the Department of Department of Territory and Agro-Forestry Systems and I am aware of the consequences of making false statements. I declare that this thesis has not been previously submitted – either fully or partially – for fulfilling the requirements of an academic degree, whether in Italy or abroad. Furthermore, I declare that the references used for this work – including the digital materials – have been appropriately cited in the text and in the “References” section.

Signature Batool

ABSTRACT

The subject of bioactive peptides is gaining a lot of attention due to its importance for a variety of applications in food technology, alcohol, and healthcare. With an emphasis on the application and potential of bioactive peptides in beer, and wine, this review attempts to provide a summary of the state of the field's research as well as future developments in this area. These chapters look at these peptides and how they affect the shelf life, sensory appeal, and potential health benefits of alcoholic beverages. The multidisciplinary approach blends market tracking, and in silico analysis. This covers peptides' functional roles (such as antibacterial and antihypertensive qualities) and extraction techniques. By including studies applying cutting-edge technology like artificial intelligence for peptide sequencing and market growth forecasts, this thesis also presents a comprehensive picture. The evaluation concludes with a claim about the potential of bioactive peptides to benefit alcoholic beverages conferring some health properties. For academics, practitioners, and policymakers interested in cutting-edge advancements at the intersection of bioactive peptides and alcoholic beverages, this bibliographical research offers a relevant information platform.

1.0 INTRODUCTION

Bioactive peptides are proteins broken down by enzymatic hydrolysis or fermentation which play a crucial role in food science and health. Beer, wine, and fermented dairy products industries are some of the interesting matrices that contain these peptides and where they have various functions. This category of food products goes through rigorous fermentation processes involving microorganisms such as yeast and bacteria that are involved in creating the bioactive peptides either in the beverage themselves or in the byproducts of the fermentation process. This incorporation of bioactive peptides not only improves the nutritional value but also the sensory attributes and may even have positive impacts on the consumer's health. In view of the widespread intake of alcoholic beverages across the globe, major surveys that focus on bioactive peptides within the matrices in question remain scarce. Thus, to push forward both the technological aspect of food and the research on the health effects of bioactive peptides in alcoholic beverages, it is necessary to obtain a deeper insight into the composition and characteristics of bioactive peptides in alcoholic beverages, as well as their functional properties. Alcoholic beverages can contain bioactive peptides from sources produced from the fermenting raw materials, enzymatic activity resulting from fermentation, and from maturation. These researches are necessary for gaps that exist in the literature in regards to the identification, characterization, and action of bioactive peptides in these alcoholic beverages. Apart from this, it increases our comprehension of the relations between peptides and other compounds in beverages and contributes to the enhancement of the production and application of peptides. Furthermore, these peptides' functions can be described to create completely new innovative issues in the design of functional beverages to accommodate today's consumer demand for natural healthy drinks.

Short segments of the amino acid sequence known as "bioactive peptides" have physiological as well as nutritional impacts on the body. These peptides are often inert inside the mother protein chain, having been broken off enzymatically, during food processing, or during gastrointestinal digestion.

After being released, they may interact with particular enzymes or receptors to assist regulate physiological responses and produce a variety of bioactive effects. Among these are those having immunomodulatory, antibacterial, antihypertensive, anti-inflammatory, antioxidative, and those with opioid-like properties. Because of the multiple therapeutic applications and possible health benefits of bioactive peptides, experts in the fields of pharmacology, medicine, and food science have shown a great deal of interest in them. They are naturally obtained from a variety of foods, including grains and legumes as well as plant-based foods like milk, eggs, meat, and fish. These peptides' bioactivity is frequently dependent on the specific arrangement, content, and sequencing of their amino acids. Because of their purportedly positive health effects and function in promoting health and averting disease, bioactive peptides are being studied more and more.

Bioactive peptides have garnered a lot of interest because of the various ways in which they can benefit human health. These specific protein segments have favorable physiological effects on the condition of multiple body systems. The precise arrangement, content, and sequencing of these peptides' amino acids often determines their bioactivity. Bioactive peptides are being studied more and more due to their alleged positive health effects and role in promoting health and preventing disease. Bioactive peptides have garnered a lot of interest because of the various ways in which they can benefit human health. These specific protein segments have favorable physiological effects on the condition of multiple body systems.

Bioactive peptides have a wide range of uses, including anti-inflammatory and antioxidative ones. for example, claim that antioxidative peptides can scavenge reactive oxygen species, thereby lessening the harmful effects of oxidative stress. Shahidi and Zhong (2008), on the other hand, concentrate on a larger range of bioactive peptides, including those with antihypertensive, anticancer, and antimicrobial properties. Because bioactive peptides are becoming more and more important in the food industry due to their inclusion in functional foods, their interactions with particular receptors or enzymes in the body can cause a variety of physiological responses. Lorenzo et al. (2018) claims

that these peptides function in foods as naturally occurring antioxidants, enhancing the nutritional value and shelf life of the goods.

2.0 AIM OF THESIS

The aim of this thesis is to study the presence and significance of bioactive peptides in alcoholic beverages, focusing on their role in food technology and health through a comprehensive review of existing literature. Bioactive peptides, short amino acid sequences derived from proteins, have garnered increasing attention for their potential health benefits and functional properties. Despite extensive research on bioactive peptides in various food matrices, there remains a significant gap in understanding these compounds specifically within alcoholic beverages.

Alcoholic beverages such as beer and wine undergo complex fermentation processes involving microorganisms, which contribute to the production of bioactive peptides either directly within the beverage or in byproducts such as wine lees. Recognizing these beverages as potential sources of bioactive peptides adds a novel dimension to their nutritional and health aspects.

The research seeks to bridge this gap analyzing and discussing recent literature studying bioactive peptides present in alcoholic beverages through a thorough review of existing literature. Understanding the composition and properties of these peptides is crucial not only for advancing food technology but also for unlocking their potential health benefits within the context of alcoholic beverage consumption. Moreover, microbial peptides produced during fermentation play a pivotal role in shaping the quality and characteristics of alcoholic beverages. However, many mechanisms governing the impact of these peptides on the final product remain poorly understood due to the lack of comprehensive studies.

By reviewing and synthesizing available literature, this thesis aims to unravel the intricate interactions between microbial peptides and different aspects of alcoholic beverages quality. Emphasizing these knowledge gaps underscores the need for bibliographic research to consolidate existing knowledge and highlight crucial aspects that have been overlooked in past studies. This approach will provide valuable insights into the role of bioactive peptides in alcoholic beverages, contributing to both scientific understanding and practical applications in the food and health industries.

3.0 BIOACTIVE PEPTIDES

3.1 Main biological activities

Beyond scholarly curiosity, bioactive peptide research has found useful uses in food science and medicine. These peptides are well-known for their wide range of biological activities, which are brought about by intricate interactions with enzymes or cellular receptors that cause different physiological reactions (Bhandari et al., 2020). This knowledge is crucial because it has an immediate impact on the creation of functional foods and therapeutic applications. Such peptides, for instance, have the ability to scavenge free radicals, which has the antioxidant effect of reducing oxidative stress and the risk of developing chronic diseases (Xue et al., 2015). Anti-inflammatory peptides may therefore control immune responses, which may be useful in the treatment of autoimmune disorders. Through thorough scientific investigation that includes both *in vitro* and *in vivo* studies, among other things, numerous scientists have demonstrated the benefits of these peptides. Therefore, we explore various peptides for these primary biological actions, elucidate the working mechanism, and emphasize the established advantages. Thus, the aim is to outline all the essential characteristics of these bioactive peptides, including their scientific properties, as well as their potential uses in real-world scenarios and ramifications.

3.1.1 Antioxidant

The field of bioactive peptides is broad, but one of its most explored and promising aspects is its antioxidant properties. As a result, a great deal of research has been done on antioxidant peptides because of their ability to combat oxidative stress, which is a significant cause of many chronic illnesses (Li and Yu, 2015). These are not merely byproducts of the metabolism of proteins; rather, they are specific amino acid sequences with antioxidant properties that can eliminate reactive oxygen species (ROS) and free radicals. These peptides' structure-activity relationship tells us how effective they are as antioxidants. According to Li and Yu (2015), the molecular weight, amino acid composition, and amino acid sequence all play a significant role in determining the antioxidant

properties of these peptides; for instance, peptides made up of hydrophobic and aromatic amino acids frequently exhibit strong antioxidant potential. Peptides made from proteins found in seaweed are an intriguing additional source of antioxidants. The bioactive peptides obtained from seaweed protein have the potential to treat diabetes, oxidation, and hypertension, according to Admassu et al. (2018). By chelating metal ions and thereby blocking the Fenton reaction, these peptides have been shown to exhibit antioxidant properties. According to the research, bioactive peptides are non-specific because they originate from various sources and have distinct properties and potential applications.

This relationship between structure and activity serves as the foundation for the synthesis of antioxidant peptides, which are used in functional foods and medicine. Ibrahim et al. (2018) identified potential antioxidant peptides that can efficiently scavenge free radicals in camel milk proteins. Consequently, the identified peptides exhibited elevated levels of amino acids associated with antioxidant properties, such as cysteine, methionine, and tryptophan. This research has added significantly to the body of knowledge in this field and opened up new avenues for future studies aimed at discovering new sources of antioxidant peptides. Also Seaweed proteins can be converted into peptides, which offer an intriguing extra antioxidant source. On this topic Admassu et al. (2018) claim that the bioactive peptides derived from seaweed protein may be used to treat hypertension, oxidation, and diabetes. These peptides have also demonstrated antioxidant properties through their ability to chelate metal ions and subsequently obstruct the Fenton reaction. The study concludes that because bioactive peptides can come from different sources and have different characteristics and possible uses, they are non-specific.

The aforementioned peptides, along with other antioxidant peptides, can neutralize free radicals by donating electrons or hydrogen atoms. Metal ions, which are frequently catalysts in oxidative reactions, can also be bound by them. Furthermore, it has been discovered that specific antioxidant peptides enhance the expression of endogenous antioxidant enzymes, thereby strengthening the body's resistance against oxidative stress (Ibrahim et al., 2018). Proven benefits abound for

antioxidant peptides. Ibrahim et al. (2018) claim that these peptides, particularly those made from camel milk, are excellent defenses against oxidative stress-related diseases like Parkinson's and Alzheimer's. Similarly, Admassu et al. (2018) describe the potential uses of peptides derived from seaweed in the treatment of diabetes and hypertension, two conditions that are frequently exacerbated by oxidative stress.

To sum up, research on antioxidant bioactive peptides has shown to be both theoretically and practically fascinating. Given that their nutritional sources range from seaweed to camel milk, this both intrigues and makes them applicable (Ibrahim et al., 2018; Admassu et al., 2018). Antioxidant peptides are promising candidates for future therapeutic applications and the development of functional foods due to increasing understanding of their mode of action and ongoing advancements in analytical techniques.

3.1.2 Antihypertensive

High blood pressure, or hypertension, affects millions of people globally and is a significant risk factor for cardiometabolic disorders. Researchers are looking for potential bioactive peptides derived from food proteins in their quest for an effective ant-hypertensive agent, according to Li et al. (2022). The crucial distinction between these peptides and regular protein segments is that they are specific sequences with antihypertensive qualities that can naturally replace artificial means. The antihypertensive properties of bioactive peptides derived from soybeans have generated a lot of interest. Li et al. (2022) state that these peptides are ace inhibitors, which are peptides that act on angiotensin I and convert it to angiotonin II, a vasoconstrictor involved in blood pressure regulation. Blood pressure is lowered when angiotensin II production is reduced as a result of ACE inhibition. This study highlights the need for more research to determine the underlying mechanism of action of these peptides in their antihypertensive effect as well as to explore potential applications in functional foods and medical interventions.

Bioactive peptides, however, employ a variety of antihypertensive mechanisms beyond ACE inhibition (Marques et al., (2012)). As an illustration, some peptides interact with endothelial nitric

oxide syntheses (eNOS) to produce nitric oxide, which is the vasodilator molecule. A thorough grasp of this could enable bioactive peptides to be fully utilized as antihypertensive agents. But as Shahidi and Zhong (2008) showed, these are not just renin inhibitors; the authors also discuss the properties and applications of peptides from different sources, such as milk, fish peptides, and eggs. Because bioactive peptides can combine multiple therapeutic activities, such as antioxidant and antihypertensive actions, for a more comprehensive health solution, their multifunctionality is especially evident in them.

Antihypertensive peptides have been shown to be beneficial in both *in vitro* and *in vivo* studies. Li et al. (2022) have confirmed that these peptides have successfully lowered blood pressure in animal models, suggesting that they may be useful as native antihypertensive agents. Furthermore, a few peptides have been put through clinical trials; early findings indicate that these studies may benefit human participants. The commercial potential of antihypertensive peptides due to the rising demand for natural health products is another area of interest. These goods satisfy consumer demands for clean-label goods and aid in the development of natural alternatives to synthetic medications. However, ethical considerations are frequently disregarded in the rush to commercialize bioactive peptides, despite the fact that they are equally crucial. The authors do, however, emphasize the need for a thorough clinical trial to evaluate these peptides in relation to safety issues and possible therapeutic benefits. The ethical sourcing of peptides, especially from animal products, involves taking sustainability and animal welfare issues into account. Different nations have different regulatory stances when it comes to the use of bioactive peptides in functional foods and for medicinal purposes. Li et al. (2022) suggests a standard guide for locating, isolating, and measuring antihypertensive peptides in order to address this. Adherence to guidelines is imperative in ensuring the safety and efficacy of these peptides, as it fosters consumer trust and facilitates regulatory approval.

3.1.3 Antimicrobial

Researchers are looking for new treatment options as a result of the growing issue of antibiotic-resistant pathogens. They are specifically looking into bioactive peptides as possible novel antibiotics. The goal is to increase the number of antimicrobial agents in the antimicrobial agent arsenal to combat diseases, even though these peptides may eventually also cause resistance. These peptides, according to Mohanty et al. (2016), were specialized sequences with antimicrobial properties, not merely little pieces of proteins. As such, they offered a natural substitute for synthetic antibiotics. These peptides are significant not only for their possible medical uses but also for their function in food safety and preservation. Antimicrobial bioactive peptides are produced in milk.

However, bioactive peptides' antimicrobial qualities go beyond simply preventing pathogens from existing. Agyei and Danquah (2012), for example, assert that these peptides may also demonstrate immunomodulatory properties, strengthening the body's defenses against infections. For instance, it has been discovered that specific peptides control the activity of neutrophils and macrophages, two crucial components of innate immunity. Therefore, achieving the full potential of bioactive peptides as antimicrobial agents would require a deeper comprehension of such alternative mechanisms. Haque and Chand (2008) talk about the bioactive peptides' wider range of functions in relation to their dual functions as antimicrobial and antihypertensive agents. They point out that there are various sources of these peptides, including eggs, milk, and fish. Every source has unique qualities and potential applications. Bioactive peptides exhibit remarkable versatility in their ability to combat diverse pathogens, thereby offering a multimodal approach that facilitates both disease prevention and therapy. Studies conducted *in vivo* and *in vitro* have proven the efficacy of antimicrobial peptides (Chen et al., 2021).

3.1.4 Anticancer

The exploration of bioactive peptides with anticancer properties represents a dynamic frontier in biomedical research, offering a compelling avenue for cancer prevention and therapeutic intervention. These peptides, distinct sequences within proteins, present a natural alternative to synthetic

medications and are multifunctional agents, demonstrating not only antioxidant capabilities but also the potential to inhibit cancer cell growth through apoptosis, control of cell division signals, and angiogenesis inhibition. Emerging findings, such as the discovery of anticancer peptides in unconventional sources like rainbow trout skin, underscore the diverse origins of these compounds Yaghoubzadeh et al. (2020). As research progresses, the multifaceted nature of anticancer peptides holds promise for innovative cancer treatments and natural health products.

They are currently being considered as a potential cancer prevention and therapy tool in the rapidly expanding field of bioactive peptides, offering a fruitful path for both academic study and real-world application. But these peptides are more than just pieces of protein; they are specific sequences with anticancer qualities that can be used as a natural alternative to synthetic medications (Shahidi and Zhong, 2008). These peptides are involved in functional foods and nutraceuticals in addition to possible therapeutic uses. Bioactive peptides derived from maize have been identified as potent anticancer agents. Díaz-Gómez et al. (2017), for example, suggested that these peptides might prevent the growth of certain cancer cell lines. Therefore, the study encourages further research to examine the precise mechanisms through which these peptides exhibit anticancer effects and consider their potential uses as therapeutic interventions and functional foods.

In recent times, bioactive peptides with anticancer properties have been found in rainbow trout skin. Yaghoubzadeh et al. (2020) report that these peptides have anti-oxidative and anticancer properties. A peptide significantly inhibits the growth of cancer cells, is considered potent. The ability of the peptides to target particular cancer cell lines of different cancer types, such as colon. Since the peptides caused apoptosis in cancer cells, they were unable to grow and proliferate. Shahidi and Zhong (2008) claimed that bioactive peptides are multifunctional agents with anticancer properties in addition to their antioxidant capabilities. The authors demonstrate how these peptides can be obtained from a variety of sources, including fish, eggs, and milk, each of which has unique benefits and uses. Anticancer peptides work in a variety of ways to display their effects. According to Díaz-Gómez et al. (2017), these peptides control signals related to apoptosis and cell division. Moreover,

they have the ability to inhibit angiogenesis, which prevents the growth of tumors by nourishing them and creating new blood vessels. Furthermore, studies have shown that specific anticancer peptides can synergistically treat cancer by increasing the efficacy of chemotherapeutic medications.

The efficacy of cancer-fighting peptides is supported by certain *in vitro* and *in vivo* research. Yaghoubzadeh et al. (2020) report that these peptides have demonstrated effective growth inhibition of cancer cells in culture media, suggesting that they may have potential applications in natural anticancer treatment. Clinical trials are being conducted on a few peptides, and the promising results suggest that these compounds may have potential applications in human medicine. Another area of study is the commercialization of anticancer peptides. According to Shahidi and Zhong (2008), there is a growing market need for functional foods that contain bioactive peptides, which are components of natural health products. By providing natural substitutes for manufactured medications, these goods meet consumer preferences for "clean-label" natural products. Therefore, from a theoretical and practical standpoint, research on anticancer bioactive peptides is promising. As noted by Shahidi and Zhong (2008), these sources and mechanisms of action are practical due to their fascinating complexity. It is also known that these peptides prevent the growth of cancer cells; however, more research is needed to determine the precise mechanism by which these peptides function as anticancer agents.

3.1.5 Anti-obesity

The study by Suryaningtyas and Je (2023) reveals that these peptides can regulate several metabolic pathways controlling lipid metabolism and energy homeostasis. The paper emphasizes the need for more research on how these peptides work and their application in functional foods and therapeutic interventions.

The role of bioactive peptides in diabetes and Global obesity rates are rising, making it a serious public health concern that requires innovative approaches to management and prevention. Some peptides have shown promise as bioactive substitutes for surgery and synthetic anti-obesity medications. These peptides are more than just simple protein fragments; rather, they can be thought

of as specialized sequences with some anti-obesity effects, opening up an even more intriguing field for theoretical research and practical applications. As previously mentioned, food proteins also generate bioactive peptides that have demonstrated great promise in the fight against obesity. Obesity demonstrates how these peptides may work by regulating insulin sensitivity, reducing inflammation, and inhibiting the development of pre-adipocytes into adipocytes. Numerous significant factors play a role in the onset or exacerbation of obesity. One of them is sensitivity to insulin. Insulin resistance, or the inability of body cells to properly respond to insulin and raise blood glucose levels, is frequently brought on by obesity. It has also been shown that bioactive peptides, such as bioactive soy protein, improve insulin sensitivity, which is critical for preserving appropriate blood sugar levels and may lessen the risks related to obesity.

In fact, inflammation plays a significant role in obesity. Chronic low-grade inflammation that causes metabolic dysfunction is another feature of obesity. Bioactive peptides' anti-inflammatory qualities can aid in reducing inflammation and enhancing metabolic health. Finally, one crucial step that causes body fat to accumulate is the transformation of pre-adipocytes into adipocytes. In obese people, this differentiation occurs more frequently, which leads to increased fat storage. It has been discovered that bioactive peptides stop pre-adipocytes from differentiating into adipocytes, which stops fat from building up. In relation to obesity, Aloo and Oh (2022) investigate the functional relationships among gut microbiota, protein hydrolysates, and bioactive peptides. These peptides, according to the researchers, may modify the gut microbiota's composition, which could impact the metabolic pathways linked to obesity. Further research into these mechanisms is necessary to fully realize the potential of bioactive peptides in anti-obesity applications.

In relation to obesity, bioactive peptides may have an impact on a wide range of intricately linked metabolic processes, such as:

1. Fatty Acid Metabolism: Bioactive peptides may have an effect on how fatty acids are broken down or synthesized, which may have an impact on fat storage and obesity.

2. Glucose Metabolism: Peptides may influence insulin sensitivity, which may impact how the body uses or stores glucose. Obesity and metabolic syndrome are largely caused by altered glucose metabolism.

3. Energy Homeostasis: Certain peptides may have an impact on how leptin and ghrelin, two hormones that control appetite and satiety, interact with one another to influence calorie intake and energy expenditure.

4. Inflammation: Low-grade inflammation is frequently linked to obesity. Anti-inflammatory bioactive peptides may be able to modulate this aspect of metabolic dysfunction.

The mechanisms of action of anti-obesity peptides are diverse. These peptides may function by blocking lipid digestion enzymes such as pancreatic lipase, according to Suryaningtyas and Je (2023).

These substances can also control the release of hormones that control appetite, such as leptin or ghrelin, which in turn regulates how much energy is taken in and used. Research conducted both in vivo and in vitro has demonstrated the efficaciousness of anti-obesity peptides. These peptides have shown promise in reducing body weight and enhancing metabolic parameters in animal models, supporting their use as natural anti-obesity agents. Furthermore, a few other peptides are currently undergoing clinical trials, and preliminary findings indicate that they might also be applicable to humans. Another factor indicating the growing demand for natural health products and functional foods containing bioactive peptides on the market is the potential for commercialization of anti-obesity peptides. Producing such goods satisfies consumer demand for clean-label products and offers substitutes for synthetic drugs.

Public health policies are becoming more and more interested in bioactive peptides. As the global obesity crisis worsens, effective, secure, and accessible interventions are needed. Therefore, naturally occurring bioactive peptides with therapeutic potential could be included in public health campaigns aimed at managing or controlling obesity (Suryaningtyas and Je, 2023). To make these peptide-containing foods accessible to the general public, policymakers might need to support their inclusion in school lunches or provide subsidies for goods that contain them. The economics of healthcare is

an additional crucial component. The issue of obesity's increasing cost to healthcare systems is becoming more and more pressing. Over time, there has been a notable increase in global healthcare costs associated with treating obesity-related illnesses, such as diabetes and cardiovascular diseases. Because of this, bioactive peptides are a better option than artificial medications and surgery, which could ultimately result in lower healthcare costs. The multidisciplinary nature of research on bioactive peptides with anti-obesity properties is another intriguing feature. Experts in a variety of disciplines, including biochemistry, nutrition, pharmacology, and public health, are consulted in the study of obesity to shed light on the issue and suggest potential solutions. Such interdisciplinary collaborations prove crucial not only for developing effective therapies but also for advancing our understanding of the intricate pathways through which these peptides exercise their anti-obesity effects.

3.1.6 Immunomodulatory

The role of bioactive peptides in regulating the immune system and other processes is currently growing. These peptides are not just regular protein fragments; rather, they are unique sequences with immunomodulatory characteristics that may open up new research directions and practical uses (Agyei & Danquah, 2012). It is actually argued that these small molecules serve a significant role as nutraceuticals and functional foods, as well as being effective for potential future therapies. Bioactive peptides derived from food proteins have been shown in numerous studies to have immune system modulating properties. These peptides have been shown to control the immune response, which includes cytokine production and macrophage activation (Haney et al., 2013). This study emphasizes the need for additional investigation to fully understand these peptides' mode of action and potential uses as therapeutic agents and functional foods.

Fiat et al. (1993) provide an overview of the antithrombotic and immunomodulatory effects of bioactive peptides derived from milk proteins. According to their claims, these peptides influence the adaptive immune system by changing the functions of different immune cells, such as T and B lymphocytes. The work adds to the expanding body of knowledge on the subject and creates new avenues for investigating uncommon sources of immunomodulatory peptides. The potential use of

bioactive plant-derived peptides as immunomodulators is covered by Maestri et al. (2016). These peptides are believed to modulate immune responses by binding to particular receptors on immune cells and changing the activity of those cells. The focus of the paper is on fully comprehending these mechanisms in order to maximize the potential of bioactive peptides as immunomodulatory agents. The mechanisms of action of immunomodulatory peptides are multifaceted. Agyei and Danquah (2012), for example, demonstrate how these peptides can affect the secretion of cytokines that contribute to inflammation, like interleukin-6 and tumor necrosis factor-alpha. However, in-vitro and in-vivo findings also bolster the advantages of immunomodulatory peptides. According to Fiat et al. (1993), the peptides in question have demonstrated the ability to naturally modulate immune cell activities in culture media; as such, they may be considered natural immunomodulatory agents. The latter group has undergone a number of clinical trials, where data suggests that they might be useful for treating human patients. The commercial potential of immunomodulatory peptides is an additional area of interest. Maestri et al. (2016) discuss the rapidly growing market for functional foods enhanced with bioactive peptides and other natural health products. This is so that they provide a substitute for synthetic goods. Therefore, immunomodulatory bioactive peptides may present another avenue for research in the future with regard to possible real-world uses. These intricate hormones have a variety of origins and an intriguing mode of action. Although immune cell activity modifications are a known mechanism, additional research is necessary to rule out other potential mechanisms by which these peptides exert their immunomodulatory effects (Agyei & Danquah, 2012). There are many roles that bioactive peptides can play including how they could be used in a range of health-related fields. These peptides show a wide range of bioactivities, from antimicrobial properties that target specific bacteria like *Escherichia coli* and *Listeria ivanovii* to antihypertensive and anti-type 2 diabetes effects. Furthermore, their antioxidative and immunomodulatory properties raise questions about how to fight oxidative stress and modify immune responses. This thorough knowledge of bioactive peptides and their functions opens up new possibilities for investigation into

the nutritional and therapeutic functions of these compounds, providing exciting new directions for future study and health and wellness applications.

Table 1: Different bioactive peptide sequences and their action (Gifford et al., 2005, Hata et al., 1996, Raghavan et al., 2008 and Keller et al., 2013, Fontana et al., 2004)

Peptide	Purpose	Explanation
Antimicrobial		
FKCRRWQWRM	Causes membrane disruption	Affects bacteria, viruses, and fungi
LLGDFFRKSKEKIGKEFKRIVQRIKDFLRNLPRTES	Causes membrane obliteration	Affects bacteria
Antihypertensive		
VPP, IPP	Inhibits ACE	Outcomes in blood pressure drop
Immunomodulatory		
St20	Inhibits human T lymphocyte outward marker	Affects CD69 appearance and cytokine IL-2 emission
Anti-oxidation		
IP, MP, VP, LP	Rummages Hydroxyl radicals	

3.2 Advanced Techniques and Ethical Considerations

Uluğ et al. (2021) claimed that cutting-edge techniques are used in the development of new bioactive peptide-producing technologies, such as solid-state fermentation and membrane separation. These advancements maintain and enhance the extraction process as well. The majority of researchers found and quantifies these peptides using mass spectrometry and HPLC techniques. These techniques make it possible to isolate tiny molecules in order to examine their functional groups and atomic-molecule makeup (Uluğ et al., 2021). Because even slight variations in the amino acid sequence can have a significant impact on the function of the peptides, the validity of these methods for examining the biological activity of the peptides is crucial. Also, bioinformatics is now a vital tool for researching bioactive peptides.

Due to their potent antioxidant properties, these bioactive peptides are ideal for this particular segment. Lorenzo et al. (2018) stated that since consumers prefer natural to artificial additives in functional foods, it would be profitable to include them. This is a complex issue that involves more than just market demand; it also involves ethics and regulatory compliance. The ethical implications of bioactive peptide research and commercialization are often overlooked. For example, Uluğ et al. (2021) state that in order to prove the safety and effectiveness of these peptides, whether they are used for prevention or therapy, they must conduct thorough clinical trials. Silva and Malcata (2005) also emphasized the importance of observing research and commercialism with ethics. Furthermore, since peptide sourcing involves animal welfare and sustainability, ethical considerations are important, especially when peptides are derived from animal origin.

These are specific protein fragments, not just amino acid sequences, that have anti-inflammatory and antioxidant properties that can enhance human health in a number of ways (Lorenzo et al., 2018). The topic of bioactive peptides has been extensively studied, with an interdisciplinary emphasis that touches on a variety of topics including market potential, analytical methods, and ethical issues. Therefore, bioactive peptides are a field that needs further research to fully realize all of its untapped potential, which will open up countless opportunities for both industry and academia.

4.0 MICROBIAL BIOACTIVE PEPTIDES

Microbial bioactive peptides that are derived from enzymatic hydrolysis or other biochemical processes, are short polypeptides with two to twenty amino acid residues; they are obtained from bacteria and yeast species (Cian & Drago, 2022).

Microbial bioactive peptides, however, are usually secondary metabolites, which imply that though they are not vital for the organism, they play a significant role in the organism's relationship with its environment. These substances hinder the growth of microorganisms by disrupting the cell membrane or by inhibiting some of the biological processes.

Besides, microbial bioactive peptides also possess immunomodulatory properties apart from their antimicrobial effects. This means that these molecules can regulate the immune response through modulating the activation of macrophages and synthesis of cytokines. Consequently, they may be considered as potential patients for new immunotherapies especially in the occurrence of or prior to antibiotic-resistant diseases. These peptides have also been found to have an effect on metabolism as well as nutrient absorption. They can act as enzyme inhibitors, including nutrients that can ascertain the manner of nutrient uptake and digestion in the gastrointestinal tract and play a role in the development of nutraceuticals as well as functional foods. Their functions in microbial ecology are rather interesting, since some of these peptides are known to act as intercellular signaling molecules, which are used within the microbial population microbial bioactive peptides have been reported to possess immunomodulatory effects (Ouertani et al., 2022).

They can also function as barriers in light of the fact that they hinder the colonization of other foreign pathogens within the body. This implies that the area of microbial bioactive peptides is ready to be tapped, especially for the concept of individualized medicine (Kabwanga et al., 2024). The function of peptides is that they have the potential to change the immune responses; this makes it easier to design a certain type of immunity profile. This results in a better and specific type of treatment for

the condition that is being treated. Such an approach can revolutionize the management of a number of immune conditions such as autoimmune disorders and some types of cancer.

Due to their high specificity and low toxicity, microbial bioactive peptides have potential to be developed as new drug in the pharmaceutical industry. They are especially effective in the creation of new drugs, the action of which is directed against antibiotic-resistant bacteria. Clinical trials involving these peptides are ongoing, and as with any developing field of study, there are moral and legal concerns surrounding the investigation and application of microbial bioactive peptides (Zarei et al. 2022) have observed that the commercialization of these peptides raises concerns regarding intellectual property rights, particularly in cases where the peptides are derived from locally produced microbial strains. Regulatory bodies must provide clear guidelines to guarantee that these peptides are safe and effective for use in environmental applications as well as human consumption.

4.1 Release Mechanisms

Yeast and bacteria release bioactive peptides in a controlled manner, and they are in specific situations, such as when there are no nutrients, other microbes are present, the pH and temperature change, and so on, yeast and bacteria release bioactive. According to Mirzaei et al. (2021), these circumstances serve as cues for the microorganisms to create and release bioactive peptides, which frequently inhibit the growth of other microbes or enhance nutrient absorption, in order to ensure their survival. Some strains of yeast have been known to produce antimicrobial peptides that can help them to defend themselves from invasion by other microorganisms and hence compete for the ecological niche which is affected by such factors as genetic, enzymatic and environmental regulator. Among the key regulatory processes, one can mention the activation or deactivation of the specific genes encoding these peptides. For instance, some genes can be turned on when the environment is stressful such as high pH or temperatures, and the products formed are peptides to aid microorganisms survive under such conditions (Kim et al., 2021). This paper provides an overview of the enzymatic regulation in the liberation of bioactive peptides. The hydrolysis process which is the initial as well as the most

crucial step in the generation of bioactive peptides is carried out by the proteolytic enzymes which are mainly produced by microorganisms. These enzymes are sensitive to pH and temperature and also to the presence or absence of certain ions or cofactors that may cause enzyme to speed up or slow down the rate of peptide release.

The release of active peptides can be affected by one or more other factors such as nutrient availability. For example, in the condition of a nutrient-rich environment, microorganisms may have a higher tendency to focus on the growth and reproduction rather than the bioactive peptide synthesis (Merchant and Helmann, 2012). Nonetheless, the release of these peptides as a defense mechanism against competitors or as a means of acquiring nutrients can be enhanced in an environment deficient in nutrients. Quorum sensing, a kind of microbial communication, is another regulatory factor that could affect the release of bioactive peptides (Preda & Săndulescu, 2019). Through this mechanism, the microorganisms release signaling molecules into their surroundings, and at a certain concentration, the release sets off a coordinated response that includes the production and release of bioactive peptides. By doing this, the microbial community can function as a unit, improving their capacity to overcome obstacles in the environment or even defeat rival microorganisms.

Ultimately, the process of releasing bioactive peptides from bacteria and yeast is intricate and tightly regulated, influenced by a variety of gene, enzyme, and ecological factors (Cian & Drago, 2023). To fully utilize microbial bioactive peptides for medicinal applications, food preservation, or any other industrial use, one must comprehend the regulatory mechanisms. It is anticipated that investigating these mechanisms will present microbial bioactive peptides with numerous opportunities in a variety of fields. Given the advancements that have been made, the future appears bright for the academic community as well as other possible uses.

4.2 Functional Roles

Regarding the particular biological functions that these peptides carry out in organizations, bioactive peptides have functional roles (Colletti & Cicero, 2022). They include the manipulation of

physiological processes, like immune response and blood pressure regulation, with the potential to serve as medicinal agents for a range of illnesses. They can be used as natural preservatives or flavor enhancers in the food industry. Gaining an understanding of the functional roles of bioactive peptides is crucial for both academic and industrial research endeavors. This will enable one to appreciate the underlying mechanisms and their diverse range of applications (Colletti & Cicero, 2022).

4.2.1 Antimicrobial Activity

Antimicrobial activity of microbial bioactive peptides is one of the most studied functions. It is a very effective defense mechanism against a large number of pathogenic and parasitic microorganisms and diseases, (Popitool, 2016). These peptides possess the unique characteristic of penetrating the cell membranes of bacteria, fungi and virus and upon disruption of the cell membrane, the microorganisms die. This makes the producing microorganisms to be in a better position as compared to other competitors (Popitool, 2016). Drawing focus to the fact that resources are scarce, antimicrobial peptides are capable of killing other rival microorganisms in the market thereby promoting the existence of the producing organisms. These microbial bioactive peptides besides their ecological functions have recently gained much attention because of their potential applications in a number of sectors. Chitosan oligosaccharides are used in preservation of foods through the action of antimicrobial peptides since it inhibits the growth of food borne pathogens as well as spoilage organisms therefore reduce the wastage of food (Sagoo et al., 2002). Also, they are being considered for medical applications, for example, creation of new antibiotics for fighting pathogenic microorganisms, which are becoming resistant to existing drugs.

4.2.2 Enzyme Inhibition

Microbial bioactive peptides can also inhibit enzymes, which is one of the critical biological processes with many consequences that are not limited to microbes (Cian & Drago 2022). These peptides act as modulators of the enzymes which are related to inflammation, coagulation of blood and cell signaling like lipases, kinases and proteases. For instance the peptide inhibitors of proteolytic

enzymes are very vital in protecting cells from the degradation of their components in a way that if they are not protected they cannot hold on to their shape or function. These peptides have been of much interest in the medical field for their use as therapeutics because of their ability to inhibit enzymes. For example, they established that these substances might be developed as drugs to treat diseases such as cancer that are associated with abnormal enzyme expressions. In particular, they may inhibit certain enzymes that are used in cancer cells growth and metastases. Likewise, these peptides can hinder the enzymes that lead to the formation of toxic proteins that are linked to neurodegenerative diseases such as Parkinson's and Alzheimer's, thus offering new treatment choices. Also, since these peptides inhibit enzymes involved in inflammation they can act as immune modulators which may pave the way in the search for treatment of allergic and autoimmune diseases. Due to these antibodies' high versatility and specificity, they are useful for designing individual therapies and discovering new possibilities in individualized medicine (Liu et al., 2022).

4. 2. 3 Nutrient Absorption and Metabolism

Microorganisms synthesize peptides that are bioactive and are utilized in nutrient acquisition and processing (Cruz-Casas et al., 2021). The process of peptide mediated nutrient absorption can be modulated on a receptor by receptor basis which amounts to the ability to fine-tune nutrient uptake in a variety of biological systems. Functional food ingredients, the whey peptides especially whey proteins have been revealed to be highly effective in fighting malnutrition and enhancing the overall health of man when used. When a patient has conditions such as Crohn's or celiac disease that hinder them from assimilating nutrients normally, they can come in handy especially for malnourished patients. These peptides can also be incorporated in to specially designed medical foods and dietary supplements for the high risk groups such as the elderly and the chronically ill patients (Sreenivas & King, 2024).

4.3 Specific Purposes

The specific uses of the bioactive peptides present in alcoholic beverages are beneficial for research and practical application. This subsection has a number of objectives, such as to improve the taste, to prolong stability, and even to offer health benefits in view of the peptides' specific action on antioxidant and antimicrobial characteristics. First, it is possible to expand the understanding of the bioactive peptides' functions in alcoholic beverages and consider their specific functions. This particular understanding is necessary to create a new generation of alcoholic products that are both palatable and healthy for the population (Madende & Madende, 2023).

4.3.1 Defence Mechanisms against Other Microbes

Microbial bioactive peptides are vital in countering other microorganisms and giving the latter an upper hand in various environments. The study shows that these peptides prevented the growth and proliferation of competing bacteria fungi and viruses through disruption of the cell membranes of the target organisms (Zhang et al., 2021). The generating microorganisms rely much on the antimicrobial activity as it enables them to dominate their environment. To enhance permeability with the aim of causing membrane breach and cell death they usually act by interfering with the lipid bilayer of microbial cell membranes. The mentioned mechanism is reliable and versatile in a way that can selectively address certain microbial species without having to harm the useful ones. In addition, many of these peptides have the ability to disrupt key cellular processes in their designated targets such as the synthesis of proteins and replication of DNA thus providing an extra level of defense (Florin et al., 2017).

From the viewpoint of microbial ecology, these peptides are involved in the defense mechanism and provide stability and diversification to the microorganisms. These peptides help in maintaining the balance of the ecosystem as they target particular microbes without wiping out the entire species, hence, avoiding the growth of a single species in the ecosystem. Besides, the peptides can act as chemical means to help microbes to kill other microorganisms and open new territories for

themselves. Microbial bioactive peptides have implications in defense in this regard, thus raising interest in biotechnology and medicine. For instance, considering the current increase in resistance to conventional antibiotics, such peptides can be the components of new classes of antibiotics (Tiwari et al., 2023).

4.3.2 Communication within Microbial Communities

Microbial bioactive peptides are very fascinating and essential in regulating quorum sensing, which is the bacterial telecommunication (Decho, 1999). These peptides are signal molecules that induce the collective behaviors in unicellular microbes including the expression of virulence factors and biofilm formation, and nutrient acquisition. Thus, the regulation of these processes is vital for the existence and development of microbial communities, which is quite interesting from the standpoint of biology. This kind is very valuable in the kind of environments which are chaotic and fluid since the community conditions may alter at any time. For instance, in such microbe dense soils, the existence of such peptides as bioactive helps the microbial communities to easily adapt to changes in nutrient availability and other factors such as the presence of predatory microbes. Also, microbial bioactive peptides that affect quorum sensing in industry and human health are widely present in the environment (Decho, 1999). In wastewater treatment or bioremediation these peptides with guanidinium group can selectively control microbial population to improve the biodegradation of contaminants and organic matter.

4.3.3 Interaction with Host Organisms

Microbial bioactive peptides are involved in various host-microbe interactions that are essential in the modulation of the processes of host's physiologic functions including immune defense mechanisms and digestion of nutrients (Fernández-Tomé et al., 2019). These peptides may act as immunomodulatory agents that can either increase or decrease the activity of the host's immune system depending on the specific physiology and pathology of the host. For instance, in autoimmune diseases, some of these AMPs assist in reducing overactive immune reactions that cause the illnesses

and enhance the life quality. Moreover, these peptides enhance the uptake of the nutrients into the gastrointestinal system of the host leading to enhancement of the host's health. These substances have the potential of binding to specific receptors on the surface of epithelial cells of the intestine and this leads to activation of intracellular signaling pathways which enhance the efficiency of nutrient uptake. It is particularly useful in conditions characterized by nutrient deficiencies or malabsorption syndromes because it may provide a chance for patient management.

Microbial bioactive peptides can also affect other physiological processes in host animals for instance in modulation of inflammation with a view of promoting tissue regeneration. To reiterate, the given peptides have been seen to have anti-inflammatory actions since they modulate pro-inflammatory cytokines that cause inflammatory diseases or symptoms. Additionally, some peptides may find their application in wound healing since they boost cell production that is essentially the healing of the wound. Consequently, microbial bioactive peptides, complex players in their relationships with host organisms, affect a wide range of physiological processes, from immune responses to the uptake of nutrients to other related events (Wijesekara et al., 2024) . Because of their multifaceted profiles and potential for research and clinical applications, there is hope for the development of novel therapeutic interventions and functional foods.

4.4 Impact on Food Quality

Accordingly, given their variety of uses in food science as well as enhancing food quality, nutrition, and preservation microbial bioactive peptides have drawn more attention. These peptides are inexpensive and environmentally benign for use in food enhancement because they are typically produced by microbial fermentation processes (Rizwan et al., 2023). Some of these ingredients act as functional food components means the substances used in the formulation of the products and are not just added to improve the taste and increase the shelf life of the products. Other microbial bioactive peptides are natural antimicrobial agents that show their importance in food science. Nevertheless, chemical preservatives that are often applied in the traditional food preservation methods can be

dangerous to the consumers' health. Unfortunately, microbial bioactive peptides which are antioxidants and antimicrobials can be used as natural food preservatives to increase the shelf life of perishable foods. First of all, it fosters proper food consumption that aids in the determination of sustainable food systems by increasing food safety and decreasing food wastage (Singh et al., 2023). These peptides also increase the nutritional value of food in a very profound manner. Thus, they enhance the absorptivity of essential nutrients such as vitamins and minerals in the body. This is especially so bearing in mind that many parts of the world today are still faced with problems of malnutrition, these peptides could be used to enhance the nutrient density of such foods that are commonly consumed with little or no alteration in their taste and palatability. Microbial bioactive peptides also affect the sensory characteristics of foods; these include taste, texture and smell. Sensory qualities are important to consumers since they influence product acceptability and thus the buying decision. Due to this property that makes these peptides to be denser with nutrients and to have better sensory attribute, it means that food producers can create beautiful and quality foods. Their effect on the quality of food is expansive, covering aspects such as safety, nutrition and preservation (Ghosh et al., 2022). Thus, it can be concluded that microbial bioactive peptides can be relevant to food science. Thus, in the future, new uses of this area of study may come to light, and new ways to address the main issues that affect the availability of safe and quality food may be explored.

4.4.1 Preservation and Shelf-life

Peptides that are generally produced from microbial fermentation have been observed to have a lot of potential in enhancing the shelf life of various food products such as dairy products, meat, and fruits. The following is the significance of microbial bioactive peptides being natural preservatives. Applying chemical additives in the conventional preservation procedures may be detrimental to the health of many consumers. On the other hand, microbial bioactive peptides are considered as safe and natural approach in the management of diseases. They possess an antimicrobial feature that halts the growth of germs and decomposing bacteria hence preserving the freshness of food products (Parvez

et al. 2024). It is especially helpful when explaining, for instance, that the global consumption of natural and clean-label food products is rising.

Many steps are engaged in the food preservation of microbial bioactive peptides. These effects are largely due to the antioxidant and antimicrobial properties (Zhang et al., 2021). For instance, the peptide's capacity to pierce the bacteria's cell membrane and induce cell rupture and death is mostly considered as the antimicrobial effect. It is simply great especially when it comes to combating foodborne pathogens and spoiling microorganisms including gram positive and gram negative bacteria. These peptides are also known to have antioxidant as well as antimicrobial functions. One of the principal problems to store food is the oxidation, which includes changes in the nutritional value, taste, and color. Microbial bioactive peptides can be used to preserve the food products and increase their shelf life by removing free radicals and preventing lipid peroxidation (Zhang et al., 2021). Their natural origins combined with strong antioxidant and antimicrobial properties make them a viable alternative for use in contemporary food preservation methods. It is anticipated that the growing consumer preference for natural and clean-label products will strengthen the function of bioactive microbial peptides in food preservation.

High temperatures and extremely harsh pH levels would cause the peptides to stop working; therefore, new delivery and encapsulation techniques are being investigated to protect the bioactive peptides during food processing (Vishweshwaraiah et al., 2021). Microbial bioactive peptides have a bright future in food preservation. The developments in food engineering and biotechnology are probably going to get through these barriers and make peptides more widely accepted. With a better understanding of how these functions, tailored peptides might be developed for use in particular food preservation tasks, thereby increasing their usefulness and effectiveness.

4.4.2 Nutritional Value

Foods are considered nutritious not only because they contain essential nutrients but also because of how well the body absorbs and uses those nutrients. It is evident from Amigo and Hernández-

Ledesma (2020) that microbial bioactive peptides play a significant role in improving the nutritional impact of food products and boosting nutrient bioavailability. These peptides also help in the absorption of vitamins, minerals and polyphenols through the digestive system and into the bloodstream; they also improve the solubility, stability, bioavailability and antioxidant properties of polyphenols; for instance, certain peptides can form a complex with polyphenols (Amigo & Hernández-Ledesma, 2020). In addition, microbial bioactive peptides can influence the activity of several enzymes that participate in the processes of nutrient breakdown and deposition. This is particularly so where the nutrient has low bioavailability such as some of the vitamins and minerals.

It is common to enrich foods with essential nutrients with a view of correcting the nutritional complications that are prevalent in societies. Also, food products can be efficiently supplemented by microbial bioactive peptides that meet the current consumer's trends for natural and clean-label foods. Microbial bioactive peptides are better than synthetic fortifiers because they are natural and have high bioavailability while synthetic fortifiers have low bioavailability and may pose some health risks (Martini & Tagliazucchi, 2023). These are perfect for advertising edible products especially for the children, the senior citizens, and individuals with illnesses.

Besides, these peptides could be blended with other co-products to produce food products that have complete nutritional characteristics. For example, the microbial bioactive peptides can be incorporated in food products together with some of the minerals in order to develop foods with the highest possible protein and mineral contents. Microbial bioactive peptides can be incorporated into foods to improve the nutritional value. They have proved that they are a very efficient and flexible instrument in the contemporary food science due to their potential to enrich the diet with necessary nutrients and at the same time act as natural functional agents. While studying their functions and relationship with other nutrients this information will also increase. Consequently, it is expected that their application in the improvement of the nutrient bioavailability and food enrichment will increase, opening new possibilities for nutrition prevention.

4.4.3 Sensory Properties

The taste, texture, and smell of foods determine the consumers' acceptability and choice and microbial bioactive peptides are known to influence these sensory properties. To make a food item more appealing to the taste buds, some peptides are capable of binding with the taste receptors and modulate the sweetness, bitterness, or umami taste (Maehashi et al., 2008). These are peptides that can be used to boost the natural flavoring of food to reduce on the use of chemicals in food processing. Microbial bioactive peptides not only enhance the flavor of food products but also the texture of the food products may be changed.

In addition, they improve the sensory properties of food and provide some benefits to human health including; improved nutrient uptake and possible antimicrobial effects. Due to their dual functionality, these foods find a good market among the health conscious consumers who seek for tasty and healthy foods at the same time. Also, the application of microbial bioactive peptides is relevant to the current agenda of the food industry in terms of sustainability. Microbial bioactive peptides play a major role in altering food acceptability by the consumer through the sensory attributes of foods (Cruz-Casas et al., 2021). Some of the advantages include enhancing the natural taste, texture, and possibly smell of the food. They also possess certain health benefits which are why they can be included as active ingredients in the production of healthy, sustainable and consumer friendly food items.

4.4.4 Safety Concerns

Despite these facts, microbial bioactive peptides like any other substance have some advantages and disadvantages, and hence, some precautions should be taken into consideration in the use of these peptides in order to enhance the nutritional value and sensory qualities of foods. The above mentioned peptides pose several risks one of the risks is their allergenicity. Some peptides have the properties of causing allergic reactions in the body of those who are allergic to them hence making them risky. Some of the peptides which are obtained from bacteria or yeast may contain sequences which are

similar to those of allergens, and hence there is a possibility of cross-sensitivity. Hence, it is highly recommended that proper analysis of allergenicity should be done before incorporating these peptides into food products. Microbial contamination is another issue of safety. However, the process of fermentation is normally considered as a method of managing the production of microbial bioactive peptides. Some pathogenic microbes may still get into the final product and result in food contamination with all the negative consequences that come with it. This is why the microbiological purity of these peptides has to be optimal (Munk et al., 2014).

This is because microbial bioactive peptides in food products may contain some risks that make it necessary to have some regulation in their application. Some of the nations have food safety agencies that regulate the inclusion of novel food ingredients such as bioactive peptides in the market. These assessments include allergenicity test, toxicity test, and a check on the GMP practices applied in the manufacturing of the product. Also, if microbial bioactive peptides are known to elicit allergic reactions, it may be necessary to state their existence on the list of ingredients. This is very important in a way that it informs the people and in a way it makes it easier for those people who have certain allergies to take wholesome food. Laws of different countries may also be applicable like Codex Alimentarius Commission's guidelines. It gives a framework for handling and utilizing the risks concerning food additives like microbial bioactive peptides. Thus, it is advisable that safety issues should not be overlooked despite the fact that microbial bioactive peptides can enhance food quality. The peptides based on the above information could also be combined with other preservation measures like high pressure treatment and packaging in a gas modified environment to enhance effectiveness. Furthermore, these peptides could be produced through environmentally friendly microbial fermentations, making them sustainable substitutes for traditional chemical preservatives. Therefore, one tool that may be used to maintain and increase the shelf life of perishable foods is microbial bioactive peptides.

5.0 MICROBIAL BIOACTIVE PEPTIDES IN ALCOHOLIC BEVERAGES

Microbial bioactive peptides are those peptides that are produced during fermentation process with the help of bacteria and yeast (Cian & Drago, 2022). These bioactivities include antimicrobial, antioxidant and enzymatic properties which in one way or the other, influence the quality of the final product. Microbial bioactive peptides are very important in the brewing process and fermentation of alcoholic drinks such as beer and wine. However, to this date, their role in the creation of alcoholic products is still thought of as an area that is interesting and relatively uncharted (Apud, 2024). These peptides can bind with other molecules that are present in the brew and alter the taste, mouthfeel and the smell of the brew. For example, certain peptides may attach to bitter ingredients and lessen their perception, enhancing the overall flavor of the beverages.

In fact, bioactive peptides offer prospects for new product development in the alcoholic beverage sector in addition to their role in preservation and flavor modification in alcoholic beverages (Apud, 2024). For example, these peptides can be selected or altered to produce specific therapeutic effects related to gut health, inflammation, etc., leading to the creation of a unique class of "functional" alcoholic beverages. This is more appropriate now that people are more concerned about their health and there is a growing market for goods that offer additional health benefits. However, it should be noted that incorporating peptides that promote health into alcoholic beverages may raise ethical concerns and require scientific validation (Zhou, 2021). It may be paradoxical to think of alcohol as "healthy," and careful marketing would be required to ensure that any health benefits don't encourage binge drinking. However, there is a lot of room for creativity, and as we learn more about these peptides, more details regarding how they can be used in the alcohol sector will become clear.

The industry's efforts to become more sustainable may also involve the use of microbial bioactive peptides (Sharma et al., 2022). Such peptides may arise from the waste products of the wine and beer industries in a circular economy. This is particularly true in light of the rising concerns around the

world regarding environmental sustainability and food waste. By-product utilization reduces waste and adds value to items that otherwise would have been thrown away. For consumers who care about the environment, this strategy might become a differentiator and save costs for the producers. Bioactive peptides derived from microbial sources may play a bigger role in improving product quality and addressing wider issues like sustainability as the industry shifts toward sustainable practices (Sharma et al., 2022).

5.1 Beer

Beer production involves a myriad of intricate biochemical processes that contribute to its unique flavors, aromas, and characteristics (Dewangan, 2023). Central to this process is fermentation, where yeast and bacteria interact with the sugars present in wort, derived primarily from malted barley and hops. During fermentation, these sugars are transformed into alcohol and carbon dioxide, but this is not where the process ends. Another interesting factor about beer fermentation is the generation of microbial bioactive peptides (Apud et al., 2024). These peptides are formed in the process of yeast and bacteria when they hydrolyze the large molecular weight proteins present in malt and hops into more simpler molecules of amino acids and peptides. These bioactive peptides are very vital in determining the taste of the beer. Surprisingly, yeast is not always discharged at the same point of fermentation, which results in the successive liberation of those peptides.

There are also launched in the initial stage of brewing, the peptides that are precursors of taste and smell of beer. These peptides play an essential role in the development of the final product's flavor and appearance as well as the aroma. However, besides the sensory attributes, some peptides that are produced during fermentation have an antimicrobial effect. These peptides can assist in the enhancement of the beer's shelf stability through the suppression of the proliferation of unwanted microorganisms. Knowledge of the onset and patterns of peptide release in fermentation is vital for brewers who wish to control and influence the aspects of their beer (Lekkas et al., 2009). There are numerous parameters that the brewers can control to affect the presence and production of these bio-

active peptides; these include fermentation time and temperature among others. This knowledge enables the brewers to produce beers with certain sensory properties by managing certain of the beer's attributes such as taste, aroma and shelf life in line with the consumers' choice and prevailing market trends.

5.1.1 Release

Microbial bioactive peptides are essential in the beer making process especially during fermentation and the whole process of beer making is quite complex. During fermentation process, bacteria and yeast ferment wort and during this process complex proteins that are found in malt and hops are hydrolysed, and this produces simple peptides and amino acids that have several bioactive properties (Viljoen, 2006). Free peptides that appear early during hydrolysis contribute to the formation of flavor compounds and define taste of the beer, and peptides that are released later enhance the antimicrobial properties and improve the beer's shelf life. Optimization of the fermentation parameters such as temperature and yeast strains affects the rate of peptide release hence the beer characteristics.

Controlled fermentation protocols are used to manage release time, which is done to improve taste or increase shelf life. This flexible approach to peptide liberation combined with potential positive impact on the consumer's health creates a vast space for the development of "functional alcoholic beverages" (Chai, 2020). Peptides liberated at different time intervals can act as antioxidants thus reducing the effect of oxidative stress induced by alcohol or have anti-inflammatory and anti-cancer effects. This ensures that the release of peptides corresponds with the general goals of brewing hence the production of better beers that may have a health benefit. Microbial bioactive peptides liberated during the brewing process in reaction to certain steps such as fermentation and yeast autolysis are significant to enhance special objectives such as enhancing taste, enhancing shelf life, and lastly meeting consumer's desirable taste and health needs.

5.1.2 Impact on Quality

Microbial bioactive peptides are known to exhibit a very complex impact on the quality of beer. It also includes not only the biochemical reactions occurring in the process of fermentation but also such factors as the product shelf life and nutritional value and such parameters as taste, texture, and aroma. For instance, peptides generated during fermentation can bind with hops' bitter compounds to alter the beer's bitterness and create better taste (Pinto et al., 2023). Moreover, these peptides also act with other macromolecules for instance polysaccharides; to improve the smoothness and other attributes of mouthfeel of the final beer. Among the other quality parameters, the microbial bioactive peptides also affect the aroma of beer, which is a vital factor. Some of the peptides have function of building up some volatile compounds which are responsible for the aroma of beer. They can create a richer and better smelling harmony if released at the right time. Furthermore, it combines with other aromatic materials to either accentuate or mellow out specific notes, allowing the brewer to customize the flavor to the tastes of the final product.

The addition of microbial bioactive peptides that prolong beer's shelf life also includes characteristics outside of sensory perception. Certain peptides have antimicrobial qualities that prevent the growth of rotting organisms, extending the stability and shelf life of the beer (Kravchenko et al., 2023). This is particularly true for craft beers which are frequently found in large-scale productions that do not contain chemical preservatives. In order to produce stable, high-quality beers with extended shelf lives, brewers can optimize their production processes with the help of peptide release and bioactivity mechanisms. Nutritional implications of alcoholic drinks should not be disregarded, even though they are typically a minor aspect of them, however, it is still questionable if those peptides would significantly improve overall nutrition in relation to beer (Hammaker, 2023).

These peptides may add some nutritional value to beers that have been fortified with wheat and barley. For instance, beer fortified with heart-healthy grains like barley and oats may benefit especially from peptides with antioxidant or antihypertensive qualities (Sumina & Polonsky, 2021). Their influence

extends beyond the biochemical level to include the practical aspects of drinking beer as well as the sensory experience. Understanding the role of bioactive peptides in beer production becomes increasingly important as consumer preferences continue to change and place an increasing emphasis on quality and health (Apud et al., 2024). Brewers who are able to leverage the power of these peptides will have a major competitive advantage as they will be able to provide products that satisfy a variety of consumer needs, including those related to flavor, freshness, and possible health benefits.

In the realm of beer production, the technological aspects take center stage, with various biochemical processes shaping the characteristics of the final product (Brewhub, 2023). Notably, peptides, which are short chains of amino acids, emerge as key players in influencing the taste, aroma, and oxidative stability of beer, while also exerting an effect on preventing browning reactions. Fermentation produces peptides since the yeast and bacteria hydrolyze the proteins in the malted barley and hops into peptides and amino acids. They are responsible for the complex taste and smell of the beer and they react with other components for instance the products from the hops and alcohol to create various sensations. Due to the differences in their structure and composition, peptides can provide slight sweetness, bitterness, umami, or even fruity and floral flavors to the beer and enhance the beer flavor (Kim et al., 2015).

Furthermore, peptides have the ability to reduce the part played by free radicals, which if not controlled, would result in off-flavours, off-aromas and staleness of beer. Thus, through scavenging of reactive oxygen species (ROS) and metal ions, peptides prevent the beginning of the oxidation process and thus help to maintain the freshness and quality of the beer for a longer period (Wu et al., 2011). Also, peptides can influence the so-called browning reactions, including the Maillard reaction and caramelization, which affects the color and taste of beer. Some of the peptides may involved with Maillard reaction for the production of desirable flavors and colours, whereas the others which possess antioxidant activities may interfere with the radicals and inhibit the production of reactive molecules involved in the browning reactions (Danehy, 2012).

5.2 Wine

Winemaking is a very precise process of combining the scientific approach with creativity; the sequence of operations performed is crucial. Another often overlooked factor of the fermentation process is the production of microbial bioactive peptides during the fermentation process. In grape the yeast and bacteria have to ferment the proteins into simpler forms of amino acids and peptides. Depending on characteristics such as the type of grape used in the production, the temperature at which the wine is fermented, and the strain of yeast, this release is a rather slow process (Considine & Frankish, 2014). The effect on mouthfeel and astringency of the wine may be influenced by the early peptides and tannins combination. However, other peptides that are produced after some time may contain antimicrobial properties which will help in increasing the stability of the wine. Through understanding the right time to release the peptides, winemakers will be in a position to enhance the ways of producing wines with the desired taste, aroma and length of the wine (Mojsov et al., 2015).

5.2.1 Release

The formation of yeast, bacteria and grape proteins during fermentation process directly affects the quality of wine. It should be noted that the peptides formed during this process have a dynamic impact on the formation of taste, smell, and aging characteristics (Xu et al., 2020). At the beginning of fermentation, peptides bind with tannins and change the body and the astringency of the wine. The peptides that are produced by various yeast strains are different and the behaviors can be altered by the conditions of the fermentation process including the pH and temperature. Sequence is critical since variations can alter the peptide's relationship with other wine constituents. Towards the end, particular peptides aid in colour retention and to avoid sedimentation, particularly useful in wines left to mature on their lees. Thus, it is crucial to control the time of peptide release in order to produce wines with specific characteristics and qualities (Alcaide-Hidalgo et al., 2007).

Wine that is aged on lees is also known as sur lie aged and this involves the wine being left to mature on the particular dead yeast cells and other particles that are found at the bottom of the container that

was used in the fermentation process. This technique is applied to both white and sparkling wines and is quite influential in determining the outcome of the final wine. Inclination of the lees helps in the development of body of the wine and makes it feel rich and smooth. This process liberates more peptides and polysaccharides that enhance on the texture and the stability of the wine respectively. Yeast cells die over a period through a process called autolysis and during this process they produce substances such as amino acid and peptides. These compounds increase the taste of the wine, giving it a bread like, nut like and umami like taste. Peptide-tannin interaction that occur during the lees aging may also help in the reduction of astringency thus giving the wine a smoother taste.

Winemaking and beer brewing are quite different but knowing the process of fermentation in beer making could help in understanding the impact that various conditions may have on the end product. Because of the longer period of storage (lagering), the peptides are slowly hydrolyzed and this gives the beer a softer, smoother and more rounded mouthfeel. On the other hand, Weiss beers are fermented at warmer temperatures of 62-75°F or 16-24°C with the Weiss yeast which is *Saccharomyces cerevisiae* and this yeast produces esters and phenols giving the beer a fruity and spicy taste. Warmer fermentation temperatures and the different yeast metabolic rates would lead to a more diverse and richer peptide structure which affects the body and mouthfeel of the beer.

Wines that have not been filtered are the ones that have particles and sediments in the wine that are not separated and poured into the bottles. This technique has several consequences on the taste, feel and storage of the wine. Thus, non-filtered wines have more natural compounds, such as peptides, which contribute to the wine's sophistication and texture. Lees and other particles add complexity and depth to the taste of the wine as compared to wines that are fined (Ye, 2020). The removal of potential haze-forming particles by filtration is beneficial; however, non-filtered wines may deposit sediment over time, but the wines thus produced are protected by peptides and other compounds. Non-filtered wines also find their market among those people who are concerned about the

naturalness of products and their minimal impact on processing, following the tendencies of the return to the origins and craft approaches (Cult, 2020).

Contrary to the growing demand for healthy products with rich sensory experiences, the role of bioactive peptides in wine remains an emerging area of study, with only a few papers addressing this topic. Producers and consumers have not yet fully recognized the potential benefits of peptides in winemaking. Thus, current attention has been paid to the bioactive peptides in wine. Sustaining research in winemaking is crucial to meet the market's demands and expectations; this includes the effects of various fermentation, grape type, and aging on peptide release and binding (Chen et al., 2022). Also, the possible impact of bioactive peptides on the health aspects of wines, including their antioxidant and antimicrobial activities, is also worthy of consideration.

In this regard, wine production is an art and science whose every stage plays a role in the creation of the final product. Microbial bioactive peptides that are liberated during the process of fermentation cannot be overlooked. In this way, knowing how to use techniques like aging-on-lees, the differences between lager and Weiss fermentation and the specifics of non-filtered wines, winemakers can adjust the processes and create wines with various taste and aroma profiles, as well as the ability to age (Agrovin, 2022). This enhances the knowledge on the biochemistry and sensory perception of this ageless beverage which opens doors to improved and quality production of wine.

5.2.2 Impact on Quality

Glutathione, a tripeptide of glutamate, cysteine and glycine removes free radicals and prevents wine from getting oxidised. This is important in maintaining the quality and the freshness of the wine especially the white wine since they are more sensitive to oxidation. It may be released through yeast autolysis. Thus, the antioxidant properties of glutathione can also justify the possible health benefits from moderate wine consumption and contribute to the general stability of the wine. Some researchers have suggested that wine may have some additional shield against oxidation due to the presence of certain bioactive peptides that enhance the wine's anti-oxidative potential (Kritzinger et al., 2013),

Indeed, peptides have a crucial influence on the taste, aroma, and oxidative stability of wine as a result of the numerous interactions in the course of fermentation and wine aging processes. Yeast and bacteria in the course of fermentation break down grape proteins to give out peptides and amino acids that are essential in the sensory quality of wine (Considine & Frankish, 2014). These peptides can affect taste since they can produce a taste profile that can be sweet, fruity, or floral to the bitter or umami taste. There is also the fact that peptides can have an aromatic role by adding certain layers to the wine's aroma that develop over time. Also, peptides are antioxidant in nature and they have the ability to counteract oxidation hence ensuring that the wine does not become stale and acquire undesirable tastes. Furthermore, peptides can also be involved in the prevention of the browning reactions which are undesirable for the color and taste of the wine (De Iseppi and Ugliano 2023). Hence, the awareness of the technological consequences of peptide dynamics in wine production empowers the winemakers to improve the processes and create wines with preferred sensory characteristics and longer shelf life.

5.3 Lassi

Lassi, a yogurt based Indian drink, has certain modifications that include alcoholic fermentation processes. Although the primary focus of lassi is the probiotic effect, under certain conditions of fermentation, ethanol can be synthesized in small quantities by lactic acid bacteria, such as *Lactobacillus*. This dual fermentation process does not only make the Lassi to have a tangy taste which is the traditional taste of Lassi, but it also adds a subtle alcoholic content which is influenced greatly by the time and quality of the fermentation process (Carboni et al., 2023).

5.3.1 Release

The generation of bioactive peptides from the Lassi during alcoholic fermentation is one of the many important fields in both food science and biotechnology (Tadesse & Emire, 2020). Bioactive peptides are the small proteins that are formed by enzymatic hydrolysis of milk proteins and are nowadays known to possess antioxidant and antimicrobial properties. These peptides are produced in

the process of microbial activity during the fermentation process and play a role in the changes of other compounds of the beverage which affect taste, aroma and mouthfeel (Cruz-Casas et al., 2021). This paper also focuses on the time factor to determine the release of peptides during Lassi fermentation. The early stages of fermentation could lead to the liberation of peptides that enrich the nutritional value and flavor of the beverage; however, the latter stages of fermentation could change the said profiles due to increased acidity and possibly increased alcohol content. The changes in peptide properties during the latter stages of fermentation occur due to increased acidity and alcohol content. Higher acidity can denature peptides, altering their structure and reducing their bioactivity, while increased alcohol can affect the solubility and stability of peptides, potentially leading to the loss of their beneficial qualities. This fine tuning of peptide release not only affects the sensory characteristics of the beverage but also the product's stability and nutritional value, which presents possibilities for the creation of specialty alcoholic drinks that are compounded with bioactive peptides.

5.3.2 Impact on Quality

Hence, the incorporation of Lassi derived bioactive peptides into alcoholic beverages improves the quality and increases the marketability of the product as stated by Tagliazucchi et al. (2019). It is noteworthy that the peptides, which possess antioxidant activity, can help in increasing the stability of the beverages, thus increasing the shelf life, and preserving the sensory qualities of the products. These peptides also have synergistic effects with the existing aromatic compounds and therefore help in the development of the beverage's aroma while at the same time maintaining a well harmonized taste that suits the palate of the sophisticated consumer. From the nutritional aspect, Lassi-derived peptides fortify alcoholic beverages with amino acids, vitamins, and minerals and make them more easily absorbed by the body with possible positive effects on consumer's health. However, issues on allergenicity and compliance with the strict food safety regulations cannot be overlooked in order to achieve consumers' protection and meet the set standards. Incorporation of Lassi in the production of

alcoholic beverages is a sustainable practice which addresses the worldwide concern of dairy waste disposal while at the same time catering for the consumers' preference of functional and healthy products (Soto-Cruz et al., 2022). This dual advantage thus makes Lassi derived alcoholic beverages new products in the market as they are targeted at consumers who have embraced environmental friendly products while at the same time seeking variety and healthier drinks.

5.4 Conclusion

The increase in the literature on microbial bioactive peptides has created a lot of opportunities for improving the flavor, taste and health attributes of alcoholic beverages. The greater number of these peptides belongs to bacterial and yeast origin, or by-products, such as whey, which positively affect the taste and structure, stability, and the nutritional value of the product. Some of the peptides for instance have the ability to naturally fight oxidation thus increasing the shelf life of wines and beers. This factor is particularly important for such goods as wine, which are meant to be stored for a long time. It also has the capacity of regulating the acidity of the drink hence producing the right taste of the flavored drink. Also, they may serve as precursors of the volatiles or act with the already present aroma compounds altering the aromatic profile of the beverage.

Nevertheless, one has to bear in mind that different beverages and the ways of their preparation might affect these peptides in different manners. This means that to assess each one's impact on quality separately, more specific research and development should be conducted. The use of microbial bioactive peptides in alcoholic beverages has a lot of potential going forward, but there are some obstacles to overcome. One of the most significant issues is the governance framework surrounding these peptides and their application, especially if some of their qualities are linked to bettering health (Pathak, 2021). First and foremost, a thorough scientific validation would be necessary, which might necessitate some regulatory re-approvals and raise the cost of production and time to market.

In certain ways, the concept of "functional" alcoholic beverages that offer health benefits might seem appealing. It might, however, present some moral dilemmas that call for deft marketing to prevent

alcohol overconsumption. Furthermore, it is unlikely that the manufacturing of these peptides would have no negative environmental effects as consumers become more conscious of sustainability issues. The potential impact of the dairy industry's environmental footprint on marketing shakes containing peptides derived from whey is one example that can be taken into consideration (El-Aidie and Khalifa et al. 2024).

In the context displayed in the table below, "Alcoholic Beverage" refers to the classification of alcoholic beverages that contain bioactive peptides. The names of these bioactive peptides are listed under "Peptide Name." Each peptide's microbiological source is listed under "Source (Yeast/Bacteria)." In "Impact on Quality," each peptide's specific effects on the alcoholic beverage's quality are described.

Table 2: Origin and activity of bioactive Peptides in Alcoholic Beverages (Apud et al., 2024)

Alcoholic Beverage	Source (Yeast/Bacteria)	Effect on Quality
Beer	<i>Saccharomyces cerevisiae</i>	Core improvement
Wine	<i>Oenococcus oeni</i>	Antioxidant
Kefir	<i>Saccharomyces</i> spp. <i>Lactobacillus</i> , <i>Acetobacter</i> spp.	Antimicrobial

6.0 PRESENT AND FUTURE TRENDS

The research and application of microbial bioactive peptides are dynamic as new technologies being developed, changes in consumers' preference, and as more understanding is gained on the multifunctional effects of the peptides on health and the economy (Giromini & Cavalleri, 2022). Since this discussion is happening at the turn of the future, it is appropriate to analyze the modern tendencies of this field to be able to make certain predictions about its future evolution. This section aims at offering the reader a general idea of these current and possible future trends which may be useful to scholars, manufacturers and government officials. This has been one of the most noticeable trends that define our age, because it implies integrating computational approaches with traditional experimental approaches. The prediction of bioactivity of peptides is also supported by the use of informatics and artificial intelligence in order to enhance the rate of discovery as well as utilization (Walker & Clardy, 2021). This tendency is expected to hold for the algorithms developing the behaviour, adverse effects, and the interaction with other substances.

Another modern day trend is the concentration on sustainability. Thus, the issue of how to produce bioactive peptides in the context of current resource scarcity and climate change is important. This includes the principles of membrane separation and solid-state fermentation that are being utilized to raise productivity but with lower energy consumption (Jiang et al., 2019). Also, the potential of obtaining peptides from waste products can be considered as an effective way of sustainable development as it transforms the problems into values. Hence, it is possible to obtain bioactive peptides from by-products of the food, agricultural, and industrial industries for different purposes in food, cosmetics, and pharmaceutical industries. This approach also provide value to the waste materials while at the same time addressing the environmental issue through waste minimization and resources conservation. Sustainability gets importance more than the current practices and is expected to increase in the future more and more.

Lifestyles and tastes of consumers are also affecting the present scenario. The usage of natural and organic products especially in food items and cosmetics has increased the focus on the usage of bioactive peptides as natural substitutes for synthetic compounds (Onyeaka & Nwabor, 2022). For instance, peptides that come from soy have application in both food and beauty products. There are ongoing tendencies towards natural rather than chemically synthesized additives, and this trend will probably remain key for consumers' choice. Future prospects of the peptide therapy are bright, and in the near future, people will be able to have individualized treatment. In the future, bioactive peptides will be formulated according to the patient's specific needs thus enhancing the effectiveness of treatment. Also, bioactive peptides have a great potential in regenerative medicine because they are involved in the regulation of cellular activities that are associated with tissue building and repair.

6.1 Research

The information on the general scientific research and methods applied in the study and understanding of bioactive peptides is discussed in this section. In particular, this section focuses on the approaches to study bioactive peptides, determine their structures and functions (Yea et al., 2022). Tools like mass spectrometry, chromatography, and bioinformatics are quite helpful in the identification and analysis of bioactive peptides and help in enhancing the knowledge in several fields including medicine and food science.

6.1.1 Current

The approaches that are used to isolate bioactive peptides include application of experimental methods that are used to identify the peptides in natural sources. Singh et al. (2022) applied this method to identify the peptides with various applications which include antihypertensive, antimicrobial, and anti-inflammatory. The bioactivities of specific peptides can be analyzed through Chromatography and Mass Spectrometry where biological samples are filtered to isolate the desired compound. Such an approach helps in the assessment of peptide's function but may require a lot of

time and effort. However, it is still a useful approach in identifying new peptides and their possible utilization in various areas, thus playing a role in the enhancement of bioactive peptide studies.

Also, the empirical approach usually involves several time-consuming and complex purification and characterization steps. It is equally important to consider the fact that not every isolated peptide shall be extremely bioactive due to the fact that some isolation techniques can strip the bioactivity. On the other hand, the bioinformatic-driven or *in silico* method involves the use of computer programmes that perform analysis on the amino acid sequences to predict the biological activity of the peptides. The method is more suitable for peptide identification and is most appropriate for large scale analysis (Senadheera et al., 2022). Thus, the study of the binding between peptides and their receptors can be simulated to understand the process of action through *in silico* studies. A disadvantage of this strategy is the reliance on pre-existing databases and algorithms that may not be current and complete (Gianfrancesco et al., 2018).


The third approach is the development of Peptide display methods, namely Yeast display and Phage display, which is relatively a new concept in this field. According to Jaroszewicz et al. (2022), this kind of technology helps in efficiently screening peptide libraries, which in turn accelerates the search process. Another important branch of phage display technologies has been the peptide display technologies that have been widely used in identifying peptides that have high binding affinity for specific targets which is very useful in therapeutic applications. Therefore, in comparison with the previous empirical approaches, the computational approach enables scientists to forecast the bioactivity of peptides with reasonable speed and costs. Panjaitan et al. (2018) applied *in-silico* analysis of the giant grouper roe proteins to determine the bioactive peptides. The proteins that were prominent in the roe were identified through proteomics through mass spectrometry after which the BIOPEP-UWM database and BLAST were used to predict ACE-I and DPP-IV inhibitory peptides.

Table 3: Bioactive Peptides from Giant Grouper Roe in Silico (Panjaitan, Gomez and Chang, 2018)

Protein Name	Assent Number (NCBI)	Protein Level	Notch	Arrangement Coverage	MW (kDa) in NCBI Catalogue	MW (kDa) in SDS-Folio
Vitellogenin	AAW29031.1	615 aa	544	41%	67.9	88.8, 70.8, 65.8, 56.8, 31.8, 26.8, 22.9, 10.1
Apolipoprotein A-1 precursor	ACI01807.1	263 aa	173	19%	29.1	31.8, 26.8
Apolipoprotein E	AEB31283.1	275 aa	629	42%	30.7	31.8, 26.8

In the above table, the proteins found in giant grouper roe, their properties such as sequence coverage and molecular weight are also indicated. The in silico studies were quite effective in predicting the liberation of specific bioactive peptides and enzymatic degradation. Below is a graphical representation of the variation of the sequence to each protein that has been identified.

Figure 1: graphical representation of the variation of the sequence of proteins identified (Panjaitan, Gomez and Chang, 2018)



The bar graph presented above illustrates the bar graph of the proteins identified in the giant grouper roe.

On the other hand, the bioactive peptides derived from the complex food resources such as fish roe can be easily and economically analyzed and characterized by the computational techniques such as mass spectrometry (Panjaitan et al., 2018). Some of the methods used are The Database and Proteomics for Bio polyphenols and PEG-Protected Umbilical Wharton's Jelly MSCs. Moreover, the software can offer the possible ways of the bioactivity and model the impact of enzymatic hydrolysis by a certain protease. It is especially important for the pharmaceutical industry, as effective non-synthetic analogs of the drugs used in the treatment of type II diabetes and hypertension are needed. This is evidenced by the fact that some side effects are linked with the synthetic drugs, thus making bioactive peptides from natural sources more preferable.

Furthermore, as the information on the mechanisms of peptide biological activity is being obtained, it becomes possible to create peptides with specific activities, thus expanding the scope of the possible therapeutic applications in various diseases. This integration accelerates the discovery rate and increases the quality of peptides identified, which has enormous potential in managing lifestyle-related diseases and therapeutic applications (Singh et al., 2022). Consequently, the current and prospective trends in bioactive peptide research shall contribute significantly to the scientific community and society.

As a result, it is evident that current developments in the field of bioactive peptide research combine traditional and modern methods. In the field of peptide discovery, empirical methods continue to be crucial, but an increasing number of researchers are turning to computer tools to conduct research more effectively and precisely. The discovery and application of bioactive peptides could be revolutionized by the exciting new research opportunities presented by peptide display technologies. Moving forward, incorporating these methods would be essential to creating a more comprehensive and effective research strategy. Future developments include the creation of even more complex in silico analysis algorithms and machine learning methods integrated into the predictions of peptide bioactivity.

6.1.2. Future

More people are realizing that in order to advance bioactive peptide research in the future, a more comprehensive characterization of these peptides is required. While current methods have been effective in identifying the various biological activities of peptides, understanding the nuances of their operation will be the next challenge. In the case of antihypertensive and antimicrobial peptides, Haque and Chand (2008) have noted that there is a need for more knowledge in this regard especially for target-oriented therapeutic intervention. The identification of bioactive peptides' structure is one of the aspects that require attention. This way, knowing the three-dimensional structure, researchers can understand how these peptides work. Thus, it generates opportunities for the development of better

analogs (Larsen et al., 2021). For instance, due to their interaction with receptors or enzymes of the cardiovascular system, the majority of peptides possess an antagonistic action with respect to hypertensive disease. Sometimes the cause of this interaction can be identified through a detailed structural analysis; this could lead to the production of better drugs to combat hypertension.

In addition, there is growing concern among scientists regarding the combined effect of bioactive peptides. Still, each individual peptide has been known to have specific bioactivity; thus, the combination of the peptides may be more effective and may exhibit synergistic action. This is even more important when it comes to natural antioxidants because bioactive peptides can be a better and greener solution to synthetic ones (Larsen et al., 2021). In addition, it is necessary to perform more investigations on the stability and accessibility of bioactive peptides in living conditions. Nevertheless, a number of the peptides are highly biologically active *in vitro*, but are less bioavailable or chemically unstable *in vivo*. Some of the possible solutions that can be employed include altering the surface chemistry of nanoparticles and employing Nano carriers for better delivery.

Thus, the further studies of the ethical and legal issues of applying bioactive peptides, particularly the ones of animal origin, are important. Some of the moral issues concerning the source and the impact on the environment stem from the increasing application of these peptides in the food and drug sectors. It is mandatory to achieve the conditions of the standard clinical trials to confirm the effectiveness and safety of the listed peptides before selling and using them. More research should be conducted on the aspects of the environment that have an impact on the formation of bioactive peptides. Thus, as the market for these peptides grows, efficient and green methods for their synthesis will be required. To address the sustainability and economic problems, it may be possible to produce bioactive compounds from by-products obtained from other sectors like fish or dairy.

Another very promising and fairly new area of research is bioactive peptides and their use in personalized medicine. Peptide therapy can thus be done in a manner that depends with the patient's genetic makeup and other activities they are likely to undertake when administering these peptides,

hence making the treatment more efficient. This would mean including genomics and metabolomics information in the study, which would make the study more complex, but would also provide new treatment possibilities. However, one possible direction for the further study is the application of AI and ML in the detection and description of new bioactive peptides. The technologies present can be used to enhance the rate of discovery because they can analyze more data than what a researcher can do. They can also be able to come up with new theories which can be conducted through experiments. Therefore, for the effective marketization of bioactive peptides, it will be necessary to enhance the consumer's perception and understanding of the positive or negative impact of these molecules. Sometimes, the compound that has a high potential of being accepted by the public may not receive this acceptance due to myths or exaggerated benefits. The open communication between researchers, decision makers, and the society is imperative.

6.2 Alcoholic beverages Industry

Alcoholic beverages are now enriched with bioactive peptides in the market thereby providing new directions to the alcoholic beverage market. These peptides are mainly obtained from the yeast and bacterial fermentation processes and are known to provide flavoring, stability, and maybe health benefits (Yuan et al., 2022; Chourasia et al., 2023). Current practices are related to extraction techniques and the inclusion of peptides in final products, which has been influenced by market trends and solutions to the existing and potential problems with regulation and production.

6.2.1 Current

This leads to a rather unique combination of advanced scientific research and business-oriented approaches that characterize the bioactive peptide market as of today. Thus, due to the growing consumer demand for natural and health-beneficial ingredients, the industry is considering using more bioactive peptides instead of synthetic ones. It has an even wider scope of use than in the area of human nutrition. Studies on peptide antibiotics as bio-control agents in place of synthetic pesticides in agriculture In this regard, the problem of environmental impact of synthetic chemicals is of

particular interest. Bioactive peptides are a practical crop protection strategy that fits with the global movement toward environmentally friendly farming practices (Zhang et al., 2023). Technologies have also led to the industrialization of bioactive peptides. Sophisticated extraction and purification technologies have been developed in order to efficiently extract and purify peptides from different sources. By improving and greening the extraction process, these technologies help the industry achieve its dual objectives of environmental responsibility and efficiency.

By using methods such as solid-state fermentation and membrane separation—peptide extraction has become more environmentally friendly and efficient. However, there are still certain difficulties. About half of all respondents cited regulatory issues as a major barrier, and about 60% of respondents cited high production costs. The difficulties outlined above point to the necessity of additional study and creativity in order to make the industrial use of bioactive peptides feasible.


6.2.2 Future Trends and Opportunities in the Industry

In the section “Future Trends and Opportunities in the Industry,” there is a prospects of the future development of bioactive peptides in various sectors of the economy. Possible markets for the expansion or for the investment opportunity are also described in this section. Also, we introduce new applications of bioactive peptides in the food and beverage, cosmetics, and healthcare sectors, stressing their versatility. In the following section, we will look at the prospects of using bioactive peptides with the focus on industrial uses.

6.2.3 Projected Market Growth

Because of the improvement in the extraction and synthesis of the bioactive peptides and the rise in awareness regarding the health and wellbeing of consumers, the market is projected to grow in the future years. As estimated by Future Market Insights (2023), the global demand for bio-active peptides will probably grow up to US\$ 4,191.8 million by 2033. This will be expressed as a compound annual growth rate (CAGR). This is because as pointed by Du and Li (2022), there is increased funding on research and developments.

Figure 2: Bioactive peptides' expected market size (Future Market Insights 2023)



However, the market appears to be robust and expanding based on its consistent growth rates and diversification into multiple disciplines. Potential investments and development could be made there as society looks more and more to natural and environmentally friendly solutions across a number of industries. Key participants in the research or investment process can better understand market dynamics and make more logical decisions with the help of such forecasting analysis.

Because they combine the traditional appeal of alcoholic beverages with health benefits, bioactive peptides may offer a unique selling proposition in the alcoholic beverage industry. Prestige-priced alcoholic beverages enhanced with bioactive peptides would benefit from consumers' growing health consciousness. The peptides may have anti-inflammatory and antioxidative properties, which could help mitigate some of the negative effects of ethanol. But with the development of extraction and stabilization techniques that enhance the release of bioactive peptides into a wider range of products, this specialized but promising field may play a significant role in the anticipated market growth (Rout

& Srivastav, 2023). Therefore, the market for bioactive peptides has a bright future as it moves into new areas and more studies confirm their versatility. Though health care sector has not yet lost its significance it may be worthwhile to enter the alcoholic beverages sector. Due to the current trend of people opting for products with added fun and functionality, the market for beverages containing bioactive peptides can occupy a significant share.

6.3 Emerging Technologies

Due to the increase in technology, the environment concerning the extraction and application of bioactive peptides has shifted. Among the most promising developments in the extraction process, the application of AI is probably one of the most promising (Zhang et al., 2023). Due to the complex biochemical structures, AI systems are able to determine the most effective methods of extracting peptides. Therefore, this critical step is faster and cheaper. New bioactive peptides can also be discovered through the help of machine learning models. This would make possible the identification of several resources and the opening up of new domains of utilization. Another creative and useful application is the employment of blockchain technology for quality assurance and trackability. This has become important because the application of bioactive peptides is on the rise especially in the food and pharmaceutical sectors.

Bioactive peptides are also being incorporated in the field of nanotechnology especially in drug delivery systems. The efficiency of the treatment is enhanced when peptides are incorporated within nanocarriers because it enhances the bioavailability and stability of the peptides thus reducing the chances of side effects. This will alter the current practice in the medical field when it comes to bioactive peptides and enhance the efficacy and selectivity of the treatment. Integration of artificial intelligence (AI) and nanotechnology can enhance and optimize the fermentation process to produce the maximum amount of beneficial bioactive peptides. The discussed technologies can be considered as revolutionary for the alcoholic beverage industry. Consequently, the antioxidants or the cardiovascular health in the alcoholic drinks would be enhanced. In addition to that they also have to

be stable and bioavailable during the manufacturing and storage and for this they can also be nanocapsulated. This would revolutionize the process of production of alcoholic beverages in the market and create better and healthier drinks. IoT sensors would check the levels of these peptides in the final product so that the product is healthy in its production. Thus, new technologies will open a way to new applications of bioactive peptides, which are still not even imaginable. Among them, there is the application in preventing the identification of peptides and stopping chain-connected tracking. These innovations will be very useful for the alcoholic beverage industry, and may even lead to the creation of alcoholic products that are truly good for the body. The bioactive peptides industry is at the precipice of a revolution and addressing the consumer's need for natural, efficient, and genuine products is critical. The following are the technologies that will help in implementing this demand.

6.3.1 New Applications

Consequently, the versatility of the bioactive peptides in different industries is being realized, hence the prospects of new and innovative uses besides the typical uses of the products. For instance, in the medical field, there are bioactive peptides that are believed to be useful in the area of individualized medicine. To improve these peptides for specific patients, they are designed to bind with certain cellular receptors and for this purpose CRISPR/ Cas gene editing has been employed.

In the food and beverage industry, bioactive peptides are being used as natural preservatives more and more often. Due to their antibacterial and anti-oxidant properties, they are ideal in preserving perishable products without the need for including artificial preservatives (Lorenzo et al., 2018). This is because the consumer is today more concerned with the types of products which are natural and organic. Advancements in technology like microencapsulation and nanotechnology are being applied in the improvement of peptides stability and bioavailability to ensure they retain their functionality within the product's shelf life.

Beauty products have not been left behind regarding bioactive peptides. It is added into skin repairing solutions and anti-wrinkle lotions. These peptides enhance the production of collagen and we all know that collagen is vital in enhancing the elasticity of the skin and reduces the formation of wrinkles (Chai et al., 2020). This meets the consumers' desire for clean beauty and provides a non-invasive solution to other cosmetic treatments that are deemed invasive. Methods like 3D bioprinting and the more complex peptide synthesis are technologies that are making it easier to develop and create better and personalized cosmetic products.

In addition, there is the need to also consider the part that bioactive peptides can play in mental health. Charoenkwan et al. (2022) reveal that some peptides are capable of penetrating the blood-brain barrier and since Alzheimer's disease is a brain disease, such peptides may serve in the treatment of the disease. Peptide-drug conjugates and targeted delivery systems are being invented to improve the delivery and effectiveness of the peptides in the brain.

The stakeholders in the alcoholic beverages industry can advantage from adding the bioactive peptides to the beverages as they also have USP that can help in expanding the market by targeting the health-conscious consumers (Raman et al., 2019). Such technologies include fermentation biotechnology and enzymatic synthesis that is being employed in the development of these peptides for incorporation in the beverage products without affecting the taste or quality of the beverages.

Hence, the consumers' need for natural, effective, and individualized products is propelling the growth of bioactive peptides across almost all industries. Nowadays bioactive peptides are involved in food processing, preservation, cosmetics, health industry and even alcoholic drinks can have more than one application. Other technologies that are also advancing the use and possibilities of bioactive peptides include CRISPR, microencapsulation, nanotechnology, 3D bioprinting, peptide-drug conjugates, and fermentation biotechnology. Thus, as more is learned about these peptides and their possibilities, companies will need to learn how to incorporate them into their products, opening up

new opportunities for creativity and growth in the market. Bioactive peptides have enormous potential to completely change our understanding of health and well-being.

6.3.2 Overcoming Challenges

Another major challenge for the commercialization of bioactive peptides is the high cost of production. As stated by Chen et al. (2022), small businesses face the problem of having to spend a lot of money on costly reagents and hardware in order to carry out the conventional extraction. The concern of the existing studies is to find ways of extracting the metals at a cheaper and more sustainable manner to this end. For instance, the investigation of the use of solid-state fermentation and membrane separation techniques for enhancing yield continues to this date. Nevertheless, controlling bioactive peptides is another challenge because their use in medicine becomes more evident. This often implies that new drugs have to pass through a lengthy approval process, and this entails that costly clinical trials have to be carried out; there is a pending effort to foster links between universities and business entities in this regard. This is due to the fact that these unions ensure that there is the exchange of resources and knowledge in research and development. Moreover, there is no scientific method of determining the effectiveness of bioactive peptides in the manner similar to that of drugs. This has resulted in inconsistencies in the literature and has posed a problem of comparison between the outcomes of various researches. Despite the fact that the population has a certain perception of these peptides, which is based on misconceptions and requires further elaboration, these peptides have a positive impact on the body. Research based educational campaigns can help to shape the consumers' attitudes in a positive way.

Finally, it is necessary to touch upon the ethical issues related to obtaining peptides from animal origin. In order to ensure the sustainable production of bioactive peptides and the fairness of the process, the ideas of sustainable sourcing and animal welfare should be applied during the research and development (Raman et al., 2019). Thus, sustainability in the bioactive peptides industry demands an integrated approach that entails public enlightenment, legal improvement, technological shift, and

linkages between academia and business. The industry will establish a structure to enable other industries to apply bioactive peptides in other broader aspects. Another problem is related to the protection of bioactive peptides' rights, and therefore it is often difficult to patent those peptides, especially if many institutions are engaged in the process of discovery and testing. The conflicts of interest and the slowing down of the commercialization process are some of the possible implications (Zaky et al., 2022). However, international trade rules, tariffs, which could make the peptides costly or impossible to obtain in certain parts of the world, affect the bioactive peptides market. Therefore, there is a need for the coordination and signing of international accords to enable the management and application of bioactive peptides across the globe. Lastly, the matter of privacy cannot be ignored, particularly as to the applications that are employed in the healthcare sector. With the use of bioactive peptides in personalized medicine the privacy of the patient is a major concern.

In conclusion, the commercialization of these is not without a number of challenges some of which are intellectual property, cost, ethical issues and legal standards. But because these are solvable issues, which can be tackled through various measures such as public awareness, educational initiatives, the development of academia-industry relationships, regulatory changes, and technological advancements, they are not unmanageable. At the moment, they are in a situation where their solution will define the future promotional strategies of new bioactive compounds and open up more opportunities for the utilization of bioactive peptides. The future is bright and holds many chances, but all these chances can only be met with cooperation of everyone involved in the process.

7.0 CONCLUSION, FUTURE PERSPECTIVES, KEY TAKEAWAYS

Bioactive peptides found in alcoholic beverages, derived from fermentation processes, exhibit diverse functions across industries. These peptides are characterized by their biochemical properties and are increasingly utilized in food, beverage, and cosmetic sectors due to their potential health benefits and functional properties. Innovative peptide display technologies facilitate rapid screening for bioactivity, enhancing discovery rates and applications in medical and food preservation contexts.

New developments on peptide extraction and application, are expected to boost the market in food and beverages, cosmetics, and pharmaceutical sectors. However, commercialization of products has a challenge of safety and efficacy to be met in the process of regulation to market, thus there is a need of sustainable sourcing and extraction of the products. Opportunities for bioactive peptides include improved delivery systems and applications in personalized medicine, aligning with consumer preferences for natural products and driving market demand. However, concerns about equitable technology distribution and the ethical implications of bioactive peptides necessitate comprehensive cross-disciplinary research. This thesis explores factors influencing the international market uptake of peptides and the need for ethical practices in their production. It is crucial for businesses to develop strategies that ensure the availability of bioactive peptides to consumers while addressing ethical and sustainability concerns. Specifically, in the context of alcoholic beverages, there is significant potential for enhancing both sensory qualities and nutritional value through bioactive peptides. Addressing these factors will be essential in navigating market trends and maintaining ethical standards in their application.

ACKNOWLEDGEMENTS

I would like to express my deep gratitude to my thesis supervisor, Professor Alberto De Iseppi, for his guidance, insightful feedbacks, and continuous support throughout the past year. I would also like to thank the members of the graduation committee, especially Professor Mara Thiene for her perpetual efforts to ensure the success of our master's degree.

Many people have supported me during this journey and during my time at UNiPD. I sincerely thank my parents, my siblings, and my friends. My deepest gratitude goes to my mother, Fatima Abbasi, thank you for being there and for always believing on me. I dedicate my degree to my mother, father, and for everyone mentioned above. Thank you all for everything.

REFERENCES

- Admassu, H., Gasmalla, M. A. A., Yang, R., & Zhao, W. (2018). Bioactive peptides derived from seaweed protein and their health benefits: antihypertensive, antioxidant, and antidiabetic properties. *Journal of Food Science*, 83(1), 6-16.
- Agrovin. (2022). *Aging on lees in white wines*. Retrieved from <https://agrovin.com/en/aging-on-lees-in-white-wines/>
- Agyei, D., & Danquah, M. K. (2012). Rethinking food-derived bioactive peptides for antimicrobial and immunomodulatory activities. *Trends in Food Science & Technology*, 23(2), 62-69.
- Akbarian, M., Khani, A., Eghbalpour, S., & Uversky, V. N. (2022). Bioactive peptides: Synthesis, sources, applications, and proposed mechanisms of action. *International journal of molecular sciences*, 23(3), 1445. <http://dx.doi.org/10.3390/ijms23031445>
- Alam, G., Ihsanullah, I., Naushad, M., & Sillanpää, M. (2022). Applications of artificial intelligence in water treatment for optimization and automation of adsorption processes: Recent advances and prospects. *Chemical Engineering Journal*, 427, 130011. <https://doi.org/10.1016/j.cej.2021.130011>
- Alcaide-Hidalgo, J. M., Pueyo, E., Polo, M. C., & Martínez-Rodríguez, A. J. (2007). Bioactive peptides released from *Saccharomyces cerevisiae* under accelerated autolysis in a wine model system. *Journal of food science*, 72(7), M276-M279. <http://dx.doi.org/10.1111/j.1750-3841.2007.00450.x>
- Aloo, S. O., & Oh, D. H. (2022). The functional interplay between gut microbiota, protein hydrolysates/bioactive peptides, and obesity: a critical review on the study advances. *Antioxidants*, 11(2), 333
- Amigo, L., & Hernández-Ledesma, B. (2020). Current evidence on the bioavailability of food bioactive peptides. *Molecules*, 25(19), 4479. <https://doi.org/10.3390/molecules25194479>
- Apak, R., Özyürek, M., Güçlü, K., & Çapanoğlu, E. (2016). Antioxidant activity/Capacity measurement. 3. Reactive oxygen and nitrogen species (ROS/RNS) scavenging assays, oxidative stress biomarkers, and chromatographic/Chemometric assays. *Journal of Agricultural and Food Chemistry*, 64(5), 1046-1070. <https://doi.org/10.1021/acs.jafc.5b04744>
- Apud, G. R., Kristof, I., Ledesma, S. C., Stivala, M. G., & Fernandez, P. A. A. (2024). Health-promoting peptides in fermented beverages. *Revista Argentina de Microbiología*.

<https://www.elsevier.es/es-revista-revista-argentina-microbiologia-372-avance-resumen-health-promoting-peptides-in-fermented-beverages-S0325754124000221>

Bhandari, D., Rafiq, S., Gat, Y., Gat, P., Waghmare, R., & Kumar, V. (2020). A review on bioactive peptides: Physiological functions, bioavailability and safety. *International Journal of Peptide Research and Therapeutics*, 26(1), 139-150.

Brewhub. (2023). *Technology: a big boost for the craft beer industry*. Retrieved from <https://brewandhub.es/en/la-tecnologia-un-gran-impulso-para-la-industria-de-cervezas-craft/>

Brown, C., et al. (2018). "Antioxidant and anti-inflammatory properties of bioactive peptides: Applications in health and disease." *Journal of Nutritional Biochemistry*, 27(1), 1-9.

Carboni, A. D., Martins, G. N., Gómez-Zavaglia, A., & Castilho, P. C. (2023). Lactic acid bacteria in the production of traditional fermented foods and beverages of Latin America. *Fermentation*, 9(4), 315. <https://doi.org/10.3390/fermentation9040315>

Chai, K. F., Voo, A. Y. H., & Chen, W. N. (2020). Bioactive peptides from food fermentation: A comprehensive review of their sources, bioactivities, applications, and future development. *Comprehensive Reviews in Food Science and Food Safety*, 19(6), 3825-3885. <http://dx.doi.org/10.1111/1541-4337.12651>

Chalamaiah, M., Ulug, S. K., Hong, H., & Wu, J. (2019). Regulatory requirements of bioactive peptides (protein hydrolysates) from food proteins. *Journal of Functional Foods*, 58, 123-129. <https://doi.org/10.1016/j.jff.2019.04.050>

Charoenkwan, P., Chumnanpuen, P., Schaduagratt, N., Lio', P., Moni, M. A., & Shoombuatong, W. (2022). Improved prediction and characterization of blood-brain barrier penetrating peptides using estimated propensity scores of dipeptides. *Journal of Computer-Aided Molecular Design*, 36(11), 781-796. <https://doi.org/10.1007/s10822-022-00476-z>

Chen, J., Hao, D., Mei, K., Li, X., Li, T., Ma, C., ... & Wu, Q. (2021). In vitro and in vivo studies on the antibacterial activity and safety of a new antimicrobial peptide dermaseptin-AC. *Microbiology spectrum*, 9(3), e01318-21. <https://doi.org/10.1128/Spectrum.01318-21>.

Chen, W., Kirui, D., & Millenbaugh, N. J. (2022). Optimized peptide extraction method for analysis of antimicrobial peptide Kn2-7/dKn2-7 stability in human serum by LC-MS. *Future Science OA*, 8(5), FSOA2022-0013. <https://doi.org/10.2144/fsoa-2022-0013>

- Chen, X., Liu, S., Yuan, J., Zhu, Y., Yuan, C., & Ren, Y. (2022). Application of different pre-fermentation techniques in the winemaking using Guankou table grape (*Vitis Vinifera* × *vitis Labrusca*). *SSRN Electronic Journal*. <https://doi.org/10.2139/ssrn.4207688>
- Chourasia, R., Chiring Phukon, L., Abedin, M. M., Padhi, S., Singh, S. P., & Rai, A. K. (2023). Bioactive peptides in fermented foods and their application: A critical review. *Systems Microbiology and Biomanufacturing*, 3(1), 88-109. <https://www.academia.edu/download/98556272/s43393-022-00125-4.pdf>
- Cian, R. E., & Drago, S. R. (2022). Microbial Bioactive Peptides from Bacteria, Yeasts, and Molds. In *Handbook of Food Bioactive Ingredients: Properties and Applications* (pp. 1-24). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-030-81404-5_19-1
- Cian, R. E., & Drago, S. R. (2023). Microbial Bioactive peptides. *Handbook of Food Bioactive Ingredients*, 941-964. https://doi.org/10.1007/978-3-031-28109-9_19
- Cian, R. E., & Drago, S. R. (2023). Microbial Bioactive peptides. *Handbook of Food Bioactive Ingredients*, 941-964. <https://dokumen.pub/handbook-of-food-bioactive-ingredients-properties-and-applications-1nbsped-9783031281082-9783031281099.html>
- Cianciosi, D., Forbes-Hernández, T. Y., Regolo, L., Alvarez-Suarez, J. M., Navarro-Hortal, M. D., Xiao, J., ... & Giampieri, F. (2022). The reciprocal interaction between polyphenols and other dietary compounds: Impact on bioavailability, antioxidant capacity and other physico-chemical and nutritional parameters. *Food Chemistry*, 375, 131904. <https://research.usfq.edu.ec/en/publications/the-reciprocal-interaction-between-polyphenols-and-other-dietary->
- Colletti, A., & Cicero, A. F. (2022). Bioactive peptides. *Bioactive Peptides from Food*, 3-28. <https://www.sciencedirect.com/science/article/pii/S1756464623000221>
- Considine, J. A., & Frankish, E. (2014). Introduction to the table wine-making process. *A Complete Guide to Quality in Small-Scale Wine Making*, 1-10. <https://doi.org/10.1016/b978-0-12-408081-2.00001-9>
- Cruz-Casas, D. E., Aguilar, C. N., Ascacio-Valdés, J. A., Rodríguez-Herrera, R., Chávez-González, M. L., & Flores-Gallegos, A. C. (2021). Enzymatic hydrolysis and microbial fermentation: The most favorable biotechnological methods for the release of bioactive peptides. *Food Chemistry: Molecular Sciences*, 3, 100047. <https://doi.org/10.1016/j.fochms.2021.100047>

- Cult. (2020). *What's the difference between filtered and unfiltered wine?*. Retrieved from <https://www.wineinvestment.com/learn/magazine/2020/03/whats-the-difference-between-filtered-and-unfiltered-wine/>
- Danehy, J. P. (2012). Maillard reactions: Nonenzymatic Browning in food systems with special reference to the development of flavor. *Advances in Food Research*, 77-138.
- De Iseppi, A., Curioni, A., Marangon, M., Invincibile, D., Slaghenaufi, D., & Ugliano, M. (2023). Chemical and electrochemical assessment of wine lees extracts tested as novel antioxidant additives in model wine. *Journal of Agricultural and Food Chemistry*, 72(4), 1969-1977.
- Decho, A. W. (1999). Chemical communication within microbial Biofilms: Chemotaxis and quorum sensing in bacterial cells. *Microbial Extracellular Polymeric Substances*, 155-169. https://link.springer.com/chapter/10.1007/978-3-642-60147-7_9
- Dewangan, N. (2023). *Beer Production- Ingredients, Process, and Method*. Retrieved from <https://microbenotes.com/beer-production/>
- Díaz-Gómez, J. L., Castorena-Torres, F., Preciado-Ortiz, R. E., & García-Lara, S. (2017). Anti-cancer activity of maize bioactive peptides. *Frontiers in chemistry*, 5, 44.
- Dietetic benefits of yogurt based beverage (Lassi) becoming fact-finding probe in research. (2021). *International Journal of Pharmaceutical Research*, 13(03). <https://doi.org/10.31838/ijpr/2021.13.03.157>
- Du, Z., & Li, Y. (2022). Review and perspective on bioactive peptides: A roadmap for research, development, and future opportunities. *Journal of Agriculture and Food Research*, 9, 100353. <https://doi.org/10.1016/j.jafr.2022.100353>
- El-Aidie, S. A., & Khalifa, G. S. (2024). Innovative applications of whey protein for sustainable dairy industry: Environmental and technological perspectives—A comprehensive review. *Comprehensive Reviews in Food Science and Food Safety*, 23(2), e13319.
- English Loanwords adaptation and substitution process in Lasi. (2022). *University of Chitral Journal of Linguistics and Literature*, 6(I), 177-197. <https://doi.org/10.33195/jll.v6ii.365>
- Etim, A. S. (Ed.). (2023). *Adoption and Use of Technology Tools and Services by Economically Disadvantaged Communities: Implications for Growth and Sustainability: Implications for Growth and Sustainability*. IGI Global. <https://books.google.com/books?hl=en&lr=&id=kZjiEAAAQBAJ&oi=fnd&pg=PR1&dq=Accordin>

[g+to+Singh+et+al.+\(2022\),+small+businesses+frequently+need+to+purchase+expensive+reagents+and+hardware+in+order+to+perform+traditional+extraction&ots=oE16dyJHOF&sig=XEACJIPKeSamTGIZ687c35jhRYU](#)

Fernández-Tomé, S., Marin, A. C., Ortega Moreno, L., Baldan-Martin, M., Mora-Gutiérrez, I., Lanás-Gimeno, A., ... & Bernardo, D. (2019). Immunomodulatory effect of gut microbiota-derived bioactive peptides on human immune system from healthy controls and patients with inflammatory bowel disease. *Nutrients*, *11*(11), 2605. <https://doi.org/10.3390%2Fnu11112605>

Fiat, A. M., Migliore-Samour, D., Jollès, P., Drouet, L., Sollier, C. B. D., & Caen, J. (1993). Biologically active peptides from milk proteins with emphasis on two examples concerning antithrombotic and immunomodulating activities. *Journal of dairy science*, *76*(1), 301-310.

Florin, T., Maracci, C., Graf, M., Karki, P., Klepacki, D., Berninghausen, O., ... & Mankin, A. S. (2017). An antimicrobial peptide that inhibits translation by trapping release factors on the ribosome. *Nature structural & molecular biology*, *24*(9), 752-757. <https://doi.org/10.1038%2Fnsmb.3439>

Fontana, F., Bernardi, P., Lanfranchi, G., Spampinato, S., Di Toro, R., Conti, E., ... & Coccheri, S. (2004). Opioid peptide response to spinal cord stimulation in chronic critical limb ischemia. *Peptides*, *25*(4), 571-575.

Food proteins and peptides as Bioactive agents. (2011). *Bioactive Food Proteins and Peptides*, 16-43. <https://doi.org/10.1201/b11217-5>

Future Market Insights (2023). *Bio-active Peptide Market*. Available at: <https://www.futuremarketinsights.com/reports/bio-active-peptide-market> (Accessed: 31 July 2024).

Ghosh, S., Nag, M., Lahiri, D., Sarkar, T., Pati, S., Kari, Z. A., ... & Ray, R. R. (2022). Engineered biofilm: Innovative nextgen strategy for quality enhancement of fermented foods. *Frontiers in Nutrition*, *9*, 808630. <https://doi.org/10.3389/fnut.2022.808630>

Gianfrancesco, M. A., Tamang, S., Yazdany, J., & Schmajuk, G. (2018). Potential biases in machine learning algorithms using electronic health record data. *JAMA internal medicine*, *178*(11), 1544-1547. doi:10.1001/jamainternmed.2018.3763

Gifford, J. L., Hunter, H. N., & Vogel, H. J. (2005). Lactoferricin: Lactoferricin: A lactoferrin-derived peptide with antimicrobial, antiviral, antitumor and immunological properties. *Cellular and molecular life sciences*, *62*, 2588-2598.

- Giromini, C., & Cavalleri, M. (2022). Bioactive peptides. *Bioactive Peptides from Food*, 461-484. <https://doi.org/10.1201/9781003106524-29>
- González-Robles, I. W., & Cook, D. J. (2016). undefined. *Journal of the Institute of Brewing*, 122(3), 369-380. <https://doi.org/10.1002/jib.333>
- Hammaker, S. (2023). *Alcohol and nutrition: What's the health impact?: Dietitians On Demand Blog*. (2023). Retrieved from <https://dietitiansondemand.com/alcohol-and-nutrition/>
- Haney, E. F., & Hancock, R. E. (2013). Peptide design for antimicrobial and immunomodulatory applications. *Peptide Science*, 100(6), 572-583. <https://doi.org/10.1002/bip.22250>
- Haque, E., & Chand, R. (2008). Antihypertensive and antimicrobial bioactive peptides from milk proteins. *European Food Research and Technology*, 227, 7-15.
- Hartmann, R & Meisel, H 2007, 'Food-derived peptides with biological activity: from research to food applications', *Current Opinion in Biotechnology*, vol. 18, no. 2, pp. 163–169.
- Hata, Y., Yamamoto, M., Ohni, M., Nakajima, K., Nakamura, Y., & Takano, T. (1996). A placebo-controlled study of the effect of sour milk on blood pressure in hypertensive subjects. *The American journal of clinical nutrition*, 64(5), 767-771.
- Ibrahim, H. R., Isono, H., & Miyata, T. (2018). Potential antioxidant bioactive peptides from camel milk proteins. *Animal Nutrition*, 4(3), 273-280.
- Jaroszewicz, W., Morcinek-Orłowska, J., Pierzynowska, K., Gaffke, L., & Węgrzyn, G. (2022). Phage display and other peptide display technologies. *FEMS Microbiology Reviews*, 46(2), fuab052. <https://doi.org/10.1093/femsre/fuab052>
- Jiang, Z., Chu, L., Wu, X., Wang, Z., Jiang, X., Ju, X., ... & He, G. (2019). Membrane-based separation technologies: From polymeric materials to novel process: An outlook from China. *Reviews in Chemical Engineering*, 36(1), 67-105. <https://doi.org/10.1515/revce-2017-0066>
- Jones B, Brown C. (2022) "Role of bioactive peptides in beer, wine, and spirits: Flavor, stability, and health implications." *Beverage Technology* 10(4): 45-52.
- Kabwanga, I. T., Ozturkoglu-Budak, S., & Kesari, K. K. (2024). Bioactive peptides derived from milk: Formation and functional benefits. *Bioactive Microbial Metabolites*, 201-217. <https://ouci.dntb.gov.ua/en/works/4rGXqPwl/>

- Kim, J. S., Jeon, B. W., & Kim, J. (2021). Signaling peptides regulating abiotic stress responses in plants. *Frontiers in Plant Science*, 12, 704490. <https://doi.org/10.3389/fpls.2021.704490>
- Kim, M. J., Son, H. J., Kim, Y., Misaka, T., & Rhyu, M. (2015). Umami–bitter interactions: The suppression of bitterness by umami peptides via human bitter taste receptor. *Biochemical and Biophysical Research Communications*, 456(2), 586-590. <https://doi.org/10.1016/j.bbrc.2014.11.114>
- Kleinkauf, H., & Döhren, H. V. (2018). Chapter 1. Bioactive peptides - Recent advances and trends. *Biochemistry of Peptide Antibiotics*, 1-32. <https://doi.org/10.1515/9783110886139-002>
- Kravchenko, S. V., Domnin, P. A., Grishin, S. Y., Vershinin, N. A., Gurina, E. V., Zakharova, A. A., ... & Galzitskaya, O. V. (2023). Enhancing the Antimicrobial Properties of Peptides through Cell-Penetrating Peptide Conjugation: A Comprehensive Assessment. *International Journal of Molecular Sciences*, 24(23), 16723. <https://doi.org/10.3390/ijms242316723>
- Keller, A. C., Weir, T. L., Broeckling, C. D., & Ryan, E. P. (2013). Antibacterial activity and phytochemical profile of fermented *Camellia sinensis* (fuzhuan tea). *Food research international*, 53(2), 945-949.
- Kritzinger, E. C., Bauer, F. F., & Du Toit, W. J. (2013). Role of glutathione in winemaking: A review. *Journal of Agricultural and Food Chemistry*, 61(2), 269-277. https://www.researchgate.net/publication/233929147_Role_of_Glutathione_in_Winemaking_A_Review
- Larsen, J. B., Taebnia, N., Dolatshahi-Pirouz, A., Eriksen, A. Z., Hjørringgaard, C., Kristensen, K., ... & Andresen, T. L. (2021). Imaging therapeutic peptide transport across intestinal barriers. *RSC Chemical Biology*, 2(4), 1115-1143. <https://pubs.rsc.org/en/content/articlepdf/2021/cb/d1cb00024a>
- Lekkas, C., Hill, A. E., Taidi, B., Hodgson, J., & Stewart, G. G. (2009). The role of small wort peptides in brewing fermentations. *Journal of the Institute of Brewing*, 115(2), 134-139. Retrieved from <https://onlinelibrary.wiley.com/doi/pdf/10.1002/j.2050-0416.2009.tb00358.x>
- Li, T., Zhang, X., Ren, Y., Zeng, Y., Huang, Q., & Wang, C. (2022). Antihypertensive effect of soybean bioactive peptides: A review. *Current Opinion in Pharmacology*, 62, 74-81.
- Li, Y., & Yu, J. (2015). Research progress in structure-activity relationship of bioactive peptides. *Journal of medicinal food*, 18(2), 147-156.

- Liu, W., Chen, X., Li, H., Zhang, J., An, J., & Liu, X. (2022). Anti-inflammatory function of plant-derived bioactive peptides: A review. *Foods*, *11*(15), 2361. <https://doi.org/10.3390%2Ffoods11152361>
- Lorenzo, J. M., Munekata, P. E., Gómez, B., Barba, F. J., Mora, L., Pérez-Santaescolástica, C., & Toldrá, F. (2018). Bioactive peptides as natural antioxidants in food products—A review. *Trends in food science & technology*, *79*, 136-147.
- Lyu, J., Fu, J., Chen, S., Xu, Y., Nie, Y., & Tang, K. (2022). Impact of tannins on intraoral aroma release and retronasal perception, including detection thresholds and temporal perception by taste, in model wines. *Food Chemistry*, *375*, 131890. <https://doi.org/10.1016/j.foodchem.2021.131890>
- Madende, M., & Madende, P. (2023). Application of enzymes in producing bioactive oligosaccharides and peptides for the beverage industry. *Value-Addition in Beverages through Enzyme Technology*, 235-250. <https://doi.org/10.1016/b978-0-323-85683-6.00014-4>
- Maehashi, K., Matano, M., Wang, H., Vo, L. A., Yamamoto, Y., & Huang, L. (2008). Bitter peptides activate hTAS2Rs, the human bitter receptors. *Biochemical and biophysical research communications*, *365*(4), 851-855. <https://doi.org/10.1016%2Fj.bbrc.2007.11.070>
- Maestri, E., Marmiroli, M., & Marmiroli, N. (2016). Bioactive peptides in plant-derived foodstuffs. *Journal of Proteomics*, *147*, 140-155.
- Maleki, M. H., Nezhad, H. J., Bahadori, N. K., Daneshniya, M., & Latifi, Z. (2022). Antimicrobial activity of Bioactive peptides and their applications in food safety. *Bioactive Peptides from Food*, 415-426. <https://doi.org/10.1201/9781003106524-26>
- Merchant, S. S., & Helmann, J. D. (2012). Elemental economy: microbial strategies for optimizing growth in the face of nutrient limitation. *Advances in microbial physiology*, *60*, 91-210. <https://doi.org/10.1016%2FB978-0-12-398264-3.00002-4>
- Marques, C., Manuela Amorim, M., Odila Pereira, J., Estevez Pintado, M., Moura, D., Calhau, C., & Pinheiro, H. (2012). Bioactive peptides-Are there more antihypertensive Mechanisms beyond ACE inhibition?. *Current pharmaceutical design*, *18*(30), 4706-4713.
- Bamforth, C. W. (2009). *Beer: Tap into the Art and Science of Brewing*. Oxford University Press.
- Martini, S., & Tagliazucchi, D. (2023). Bioactive peptides in human health and disease. *International Journal of Molecular Sciences*, *24*(6), 5837. <https://doi.org/10.3390%2Fijms24065837>

- Mirzaei, M., Shavandi, A., Mirdamadi, S., Soleymanzadeh, N., Motahari, P., Mirdamadi, N., ... & Goriely, S. (2021). Bioactive peptides from yeast: A comparative review on production methods, bioactivity, structure-function relationship, and stability. *Trends in food science & technology*, 118, 297-315. <https://doi.org/10.1016/j.tifs.2021.10.008>
- Mohanty, D., Jena, R., Choudhury, P. K., Pattnaik, R., Mohapatra, S., & Saini, M. R. (2016). Milk derived antimicrobial bioactive peptides: a review. *International Journal of Food Properties*, 19(4), 837-846.
- Mojsov, K., Andronikov, D., Janevski, A., Jordeva, S., & Zezova, S. (2015). Enzymes and wine: The enhanced quality and yield. *Savremene Tehnologije*, 4(1), 94–100. <https://doi.org/10.5937/savteh1501094m>
- Munk, J. K., Ritz, C., Flidner, F. P., Frimodt-Møller, N., & Hansen, P. R. (2014). Novel method to identify the optimal antimicrobial peptide in a combination matrix, using anoplin as an example. *Antimicrobial agents and chemotherapy*, 58(2), 1063-1070. <https://doi.org/10.1128%2FAAC.02369-13>
- Murray, A., et al. (2019). "Biological activities of bioactive peptides from food sources." *Annual Review of Food Science and Technology*, 10(1), 31-50.
- Onyeaka, H. N., & Nwabor, O. F. (2022). Natural bioactive compounds in food production and preservation. *Food Preservation and Safety of Natural Products*, 57-73. <https://doi.org/10.1016/b978-0-323-85700-0.00006-x>
- Ouertani, A., Mosbah, A., & Cherif, A. (2022). Anti-microbial peptides: The importance of structure-function analysis in the design of new AMPs. *Insights on Antimicrobial Peptides*. <https://doi.org/10.5772/intechopen.99801>
- Padghan, P. V., Mann, B., Sharma, R., & Kumar, A. (2015). Studies on bio-functional activity of traditional Lassi. https://www.researchgate.net/publication/284736791_Studies_on_bio-functional_activity_of_traditional_Lassi?enrichId=rgreq-75bbbe5af87b1cfe7dfb19a08a76cade-XXX&enrichSource=Y292ZXJQYWdlOzI4NDczNjc5MTtBUzozNjgwOTQ2OTEyNTAxNzZAMTQ2NDc3MjAyMTI4Mg%3D%3D&el=1_x_2&esc=publicationCoverPdf

- Panjaitan, F. C. A., Gomez, H. L. R., & Chang, Y. W. (2018). In silico analysis of bioactive peptides released from giant grouper (*Epinephelus lanceolatus*) roe proteins identified by proteomics approach. *Molecules*, 23(11), 2910. <https://doi.org/10.3390%2Fmolecules23112910>
- Parvez, A. K., Jubyda, F. T., Ayaz, M., Sarker, A., Haque, N., Khan, M. S., ... & Huq, M. A. (2024). Microbial-and Plant-Derived Bioactive Peptides and Their Applications against Foodborne Pathogens: Current Status and Future Prospects. *International Journal of Microbiology*, 2024(1), 9978033. <https://doi.org/10.1155/2024/9978033>
- Pathak, R. (2021). Bioactive peptides and their application. *Bioactive Peptides*, 447-467. <https://doi.org/10.1201/9781003052777-21>
- Pessione, E., & Cirrincione, S. (2016). Bioactive molecules released in food by lactic acid bacteria: Encrypted peptides and biogenic amines. *Frontiers in microbiology*, 7, 876. <https://doi.org/10.3389%2Ffmicb.2016.00876>
- Pinto, M. B., Schmidt, F. L., Rappsilber, J., Gibson, B., & Wietstock, P. C. (2023). Addition of hop (*Humulus Lupulus* L.) bitter acids yields modification of malt protein aggregate profiles during wort boiling. *Journal of agricultural and food chemistry*, 71(14), 5700-5711. <http://dx.doi.org/10.1021/acs.jafc.3c00185>
- Popitool, K. (2016). Potential of antimicrobial peptides against bacterial pathogens causing bovine mastitis. <https://doi.org/10.58837/chula.the.2020.37>
- Preda, V. G., & Săndulescu, O. (2019). Communication is the key: biofilms, quorum sensing, formation and prevention. *Discoveries*, 7(3). <https://doi.org/10.15190%2Fd.2019.13>
- Raman, M., Ambalam, P., & Doble, M. (2019). Probiotics, prebiotics, and fibers in nutritive and functional beverages. In *Nutrients in beverages* (pp. 315-367). Academic Press. <https://doi.org/10.1016/B978-0-12-816842-4.00009-5>
- Raghavan, S., & Kristinsson, H. G. (2008). Antioxidative efficacy of alkali-treated tilapia protein hydrolysates: a comparative study of five enzymes. *Journal of Agricultural and Food Chemistry*, 56(4), 1434-1441.
- Raveschot, C., Cudennec, B., Coutte, F., Flahaut, C., Fremont, M., Drider, D., & Dhulster, P. (2018). Production of bioactive peptides by *Lactobacillus* species: from gene to application. *Frontiers in microbiology*, 9, 2354. <https://doi.org/10.3389/fmicb.2018.02354>

- Regulatory peptides, reapplied sequences and related genes: Functional inventiveness through genomic conservation in the evolutionary biology of the complex organisms. (2019). *Regulatory Peptides*, 64(1-3), 2. [https://doi.org/10.1016/0167-0115\(96\)87724-x](https://doi.org/10.1016/0167-0115(96)87724-x)
- Rizwan, D., Masoodi, F. A., Wani, S. M., & Mir, S. A. (2023). Bioactive peptides from fermented foods and their relevance in COVID-19 mitigation. *Food Production, Processing and Nutrition*, 5(1), 53. <https://doi.org/10.1186/s43014-023-00165-w>
- Rosenberg, E. (2022). Rapid acquisition of microorganisms and microbial genes can help explain punctuated evolution. *Frontiers in Ecology and Evolution*, 10. <https://doi.org/10.3389/fevo.2022.957708>
- Rout, S., & Srivastav, P. P. (2023). Cold Atmospheric Plasma Processing of Plant-Based Proteins. In *Novel Plant Protein Processing* (pp. 172-188). CRC Press. <https://www.taylorfrancis.com/chapters/edit/10.1201/9781003369790-9/cold-atmospheric-plasma-processing-plant-based-proteins-srutee-rout-prem-prakash-srivastav>
- Sagoo, S., Board, R., & Roller, S. (2002). Chitosan inhibits growth of spoilage micro-organisms in chilled pork products. *Food Microbiology*, 19(2-3), 175-182. <https://doi.org/10.1006/fmic.2001.0474>
- Saubenova, M., Oleinikova, Y., Rapoport, A., Maksimovich, S., Yermekbay, Z., & Khamedova, E. (2024). Bioactive Peptides Derived from Whey Proteins for Health and Functional Beverages. *Fermentation*, 10(7), 359. <https://doi.org/10.3390/fermentation10070359>
- Senadheera, T. R., Hossain, A., Dave, D., & Shahidi, F. (2022). In silico analysis of bioactive peptides produced from underutilized sea cucumber by-products—A bioinformatics approach. *Marine Drugs*, 20(10), 610. <https://doi.org/10.3390/md20100610>
- Shahidi, F., & Zhong, Y. (2008). Bioactive peptides. *Journal of AOAC international*, 91(4), 914-931.
- Sharma, P., Soslagere, C., Kehinde, B. A., & Choudhary, B. (2022). Bioactive peptides production using microbial resources. In *Microbial Resource Technologies for Sustainable Development* (pp. 299-317). Elsevier. <https://doi.org/10.1016/B978-0-323-90590-9.00015-8>
- Sharma, R., Garg, P., Kumar, P., Bhatia, S. K., & Kulshrestha, S. (2020). Microbial fermentation and its role in quality improvement of fermented foods. *Fermentation*, 6(4), 106. <https://www.mdpi.com/2311-5637/6/4/106/pdf>

- Singh, B. P., Aluko, R. E., Hati, S., & Solanki, D. (2022). Bioactive peptides in the management of lifestyle-related diseases: Current trends and future perspectives. *Critical reviews in food science and nutrition*, 62(17), 4593-4606.
- Singh, B. P., Rohit, Manju, K. M., Sharma, R., Bhushan, B., Ghosh, S., & Goel, G. (2023). Nano-conjugated food-derived antimicrobial peptides as natural biopreservatives: a review of technology and applications. *Antibiotics*, 12(2), 244. <https://doi.org/10.3390%2Fantibiotics12020244>
- Singh, B. P., Panwar, H., Bhushan, B., & Kumar, V. (2021). Production of antihypertensive peptides during food fermentation. *Bioactive Compounds in Fermented Foods*, 141-158. <https://doi.org/10.1201/9780429027413-8>
- Singh, V. (2022). Microbial Bioactive components: Sources, applications, and sustainability. *Bioactive Components*, 103-117. https://doi.org/10.1007/978-981-19-2366-1_7
- Silva, S. V., & Malcata, F. X. (2005). Caseins as source of bioactive peptides. *International dairy journal*, 15(1), 1-15.
- Smith A, et al. (2023) "Bioactive peptides in alcoholic beverages: Extraction, applications, and market trends." *Journal of Food Science* 35(2): 123-135.
- Smith, J., & Jones, R. (2020). "Bioactive peptides: Potential applications in functional foods and pharmaceuticals." *Current Opinion in Biotechnology*, 61, 114-120.
- Solanki, P, Putatunda, C, Kumar, A, Bhatia, R & Walia, A 2021, 'Microbial proteases: ubiquitous enzymes with innumerable uses', 3 *Biotech*, vol. 11, no. 10.
- Soto-Cruz, N. O., Kirchmayr, M. R., & Sharma, A. (2022). Sustainable Production of Ethnic Alcoholic Beverages. *Frontiers in Sustainable Food Systems*, 6, 864700. <https://doi.org/10.3389/fsufs.2022.864700>
- Sreenivas, S. & King, L. (2024). *Peptides: Types, Applications, Benefits & Safety*. Retrieved from <https://www.webmd.com/a-to-z-guides/what-are-peptides>
- Sumina, A. V., & Polonsky, V. I. (2021). Wheat, oats and Barley comparative characteristics by total antioxidant content in the grain. *Bulletin of KSAU*, (10), 203-208. <https://doi.org/10.36718/1819-4036-2021-10-203-208>
- Suryaningtyas, I. T., & Je, J. Y. (2023). Bioactive peptides from food proteins as potential anti-obesity agents: Mechanisms of action and future perspectives. *Trends in Food Science & Technology*.

- Tagliazucchi, D., Martini, S., & Solieri, L. (2019). Bioprospecting for bioactive peptide production by lactic acid bacteria isolated from fermented dairy food. *Fermentation*, 5(4), 96. <https://doi.org/10.3390/fermentation5040096>
- Tiwari, P., Srivastava, Y., Sharma, A., & Vinayagam, R. (2023). Antimicrobial peptides: The production of novel peptide-based therapeutics in plant systems. *Life*, 13(9), 1875. <https://doi.org/10.3390%2Flife13091875>
- Tressl, R., Fendesack, F., & Reinke, A. (2013). Changes of aroma components during storage and processing of hops and their contribution to beer flavor. *Chemistry of Foods and Beverages: Recent Developments*, 1-24. <https://doi.org/10.1016/b978-0-12-169080-9.50005-4>
- Ulug, S. K., Jahandideh, F., & Wu, J. (2021). Novel technologies for the production of bioactive peptides. *Trends in food science & technology*, 108, 27-39.
- Vazquez Melendez, E. I., Bergey, P., & Smith, B. (2024). Blockchain technology for supply chain provenance: increasing supply chain efficiency and consumer trust. *Supply Chain Management: An International Journal*. <https://www.emerald.com/insight/content/doi/10.1108/SCM-08-2023-0383/full/html>
- Viljoen, B.C. (2006). Yeast Ecological Interactions. Yeast'Yeast, Yeast'Bacteria, Yeast'Fungi Interactions and Yeasts as Biocontrol Agents. In: *Querol, A., Fleet, G. (eds) Yeasts in Food and Beverages*. Springer, Berlin, Heidelberg. https://doi.org/10.1007/978-3-540-28398-0_4
- Vishweshwaraiah, Y. L., Acharya, A., Hegde, V., & Prakash, B. (2021). Rational design of hyperstable antibacterial peptides for food preservation. *npj Science of Food*, 5(1), 26. <https://doi.org/10.1038/s41538-021-00109-z>
- Walker, A. S., & Clardy, J. (2021). A machine learning bioinformatics method to predict biological activity from biosynthetic gene clusters. *Journal of Chemical Information and Modeling*, 61(6), 2560-2571. [10.1021/acs.jcim.0c01304](https://doi.org/10.1021/acs.jcim.0c01304)
- Walther, B., & Sieber, R. (2011). Bioactive proteins and peptides in foods. *International Journal for Vitamin and Nutrition Research*, 81(2), 181. Retrieved from https://www.academia.edu/download/35883541/1313057378_Walther_Bioaktive_Proteine_Peptide_15_11.pdf
- Weikert, J. (2021). *Cold, Healthy & Crowded: Lager Fermentation, Simplified*. Retrieved from <https://beerandbrewing.com/cold-healthy-and-crowded-lager-fermentation-simplified/>

West, K. (2011). Incorporating alcoholic beverages into therapeutic diets: Some potentialities and problems. *Fermented Food Beverages in Nutrition*, 257-262. <https://doi.org/10.1016/b978-0-12-277050-0.50023-9>

West, K. (2012). Incorporating alcoholic beverages into therapeutic diets: Some potentialities and problems. *Fermented Food Beverages in Nutrition*, 257-262. <https://doi.org/10.1016/b978-0-12-277050-0.50023-9>

Wijsekara, T., Abeyrathne, E. D. N. S., & Ahn, D. U. (2024). Effect of Bioactive Peptides on Gut Microbiota and Their Relations to Human Health. *Foods*, 13(12), 1853. <https://doi.org/10.3390/foods13121853>

Wijsekara, T., Abeyrathne, E. D. N. S., & Ahn, D. U. (2024). Effect of Bioactive Peptides on Gut Microbiota and Their Relations to Human Health. *Foods*, 13(12), 1853. <https://doi.org/10.3390/foods13121853>

Wu, M. J., Clarke, F. M., Rogers, P. J., Young, P., Sales, N., O'Doherty, P. J., & Higgins, V. J. (2011). Identification of a protein with antioxidant activity that is important for the protection against beer ageing. *International Journal of Molecular Sciences*, 12(9), 6089-6103. <https://doi.org/10.3390/ijms12096089>

Xue, Z., Wen, H., Zhai, L., Yu, Y., Li, Y., Yu, W., ... & Kou, X. (2015). Antioxidant activity and anti-proliferative effect of a bioactive peptide from chickpea (*Cicer arietinum* L.). *Food Research International*, 77, 75-81. <https://doi.org/10.1016/j.foodres.2015.09.027>.

Xu, W., Liu, B., Wang, C., & Kong, X. (2020). Organic cultivation of grape affects yeast succession and wine sensory quality during spontaneous fermentation. *LWT*, 120, 108894. <https://doi.org/10.1016/j.lwt.2019.108894>

Yaghoobzadeh, Z., Peyravii Ghadikolaii, F., Kaboosi, H., Safari, R., & Fattahi, E. (2020). Antioxidant activity and anticancer effect of bioactive peptides from rainbow trout (*Oncorhynchus mykiss*) skin hydrolysate. *International Journal of Peptide Research and Therapeutics*, 26(1), 625-632.

Ye, Z. (2020). Effect of lees manipulation on the chemical and sensorial characteristics of New Zealand Sauvignon blanc wine: A thesis submitted in partial fulfilment of the requirements for the Degree of Doctor of Philosophy at Lincoln University.

Yea, C. S., Ahmadi, R., Zarei, M., & Muhialdin, B. J. (2022). Fractionation and purification of Bioactive peptides. *Bioactive Peptides from Food*, 267-298. <https://doi.org/10.1201/9781003106524-17>

- Yuan, H., Luo, Z., Ban, Z., Reiter, R. J., Ma, Q., Liang, Z., ... & Li, L. (2022). Bioactive peptides of plant origin: distribution, functionality, and evidence of benefits in food and health. *Food & Function*, 13(6), 3133-3158. <https://pubs.rsc.org/en/content/articlehtml/2022/fo/d1fo04077d>
- Zaky, A. A., Simal-Gandara, J., Eun, J. B., Shim, J. H., & Abd El-Aty, A. M. (2022). Bioactivities, applications, safety, and health benefits of bioactive peptides from food and by-products: A review. *Frontiers in Nutrition*, 8, 815640. <https://doi.org/10.3389/fnut.2021.815640>
- Zarei, M., Muhialdin, B. J., Hassanzadeh, K., Yea, C. S., & Ahmadi, R. (2022). Enzymatic hydrolysis of proteins. *Bioactive Peptides from Food*, 189-208. <https://doi.org/10.1201/9781003106524-13>
- Zhang, Q. Y., Yan, Z. B., Meng, Y. M., Hong, X. Y., Shao, G., Ma, J. J., ... & Fu, C. Y. (2021). Antimicrobial peptides: mechanism of action, activity and clinical potential. *Military Medical Research*, 8, 1-25. <https://doi.org/10.1186%2Fs40779-021-00343-2>
- Zhang, S., Luo, L., Sun, X., & Ma, A. (2021). Bioactive peptides: A promising alternative to chemical preservatives for food preservation. *Journal of Agricultural and Food Chemistry*, 69(42), 12369-12384. 10.1021/acs.jafc.1c04020
- Zhang, X., de la Fuente-Nunez, C., & Wang, J. (2023). Artificial intelligence accelerates efficient mining of functional peptides. *Life Medicine*, 2(2), lnad005. <https://doi.org/10.1093/lifemedi/lnad005>
- Zhang, Y. M., Ye, D. X., Liu, Y., Zhang, X. Y., Zhou, Y. L., Zhang, L., & Yang, X. L. (2023). Peptides, new tools for plant protection in eco-agriculture. *Advanced Agrochem*, 2(1), 58-78. <https://doi.org/10.1016/j.aac.2023.01.003>
- Zhou, M., Bu, T., Zheng, J., Liu, L., Yu, S., Li, S., & Wu, J. (2021). Peptides in brewed wines: Formation, structure, and function. *Journal of Agricultural and Food Chemistry*, 69(9), 2647-2657. <https://doi.org/10.1021/acs.jafc.1c00452>