

BIBLIOGRAFIA

Abeni F., Calamari L., Stefanini L., Pirlo G., 2000. Effects of daily gain in pre- and postpubertal replacement dairy heifers on body condition score, body size, metabolic profile, and future milk production. *J. Dairy Sci.* 83: 1468-1478.

Abeni F., Calamari L., Stefanini L., 2007. Metabolic conditions of lactating Frisian cows during the hot season in the Po Valley. 1. Blood indicators of heat stress. *Int. J. Biometeorol.* 52: 87-96.

Aghina C., 1999. Il benessere delle vacche da latte nella stalla. Come valutare il livello di confort (Parte III). Valutazione del confort. *Large animal review* 3: 11-19.

Allaire F.R., Sterwerf H.E., Ludwick T.M., 1976. Variations in removal reasons and culling rates with age for dairy females. *J. Dairy Sci.* Vol. 60, N.º2.

Allrich R.D., 1993. Estrous behaviour and detection in cattle. *Vet. Clin. North Am. Food Anim. Pract.*, 9:249-267.

Allrich R.D., 1994. Endocrine and neuronal control of estrous in dairy cows. *J. Dairy Sci.* 77: 2738-2744.

Arechiga C.F., Vazquez-Flores S., Ortiz O., Hernandez-Ceron J., Porras A., Mc Dowell L.R., 1998. Effect of injection of Beta-Carotene or Vitamin E and selenium on fertility of lactating dairy cows. *Theriogenology* 50: 65-76.

Arney D.R., Kitwood S.E., Philips C.J.C., 1994. The increase in activity during estrous in dairy cows. *Anim. Behav. Sci.* 40: 211-218.

Banos G., Brotherstone S., Coffey M.P., 2004. Evaluation of body condition score measured throughout as an indicator of fertility in dairy cattle. *J. Dairy Sci.* 87: 2669-2676.

Barr H.L., 1975. Influence of estrous detection on days open on dairy herds. *J. Dairy Sci.* 58:246-249.

Barton B.A., Rosario H.A., Anderson G.W., Grindle B.P., Carrol D.J., 1996. Effect of dietary crude protein, breed, parity, and health status on the fertility of dairy cows. *J. Dairy Sci.* 79: 2225-2236.

Berman A., Folman Y., Kaim M., Mamen M., Herz Z., Wolfenson D., Arieli A., Graber Y., 1995. Upper critical temperatures and force ventilation effects for high-yielding dairy cows in a subtropical environment. *J. Dairy Sci.* 68: 1488-1495.

Bohmanova J., Misztal I., Tsuruta S., Norman H.D., Lawlor T.J., 2008. Short communication: genotype for environmental interaction due to heat stress. *J. Dairy Sci.* 91: 840-846.

Bhupender S., Saravia F., Bage R., Rodriguez-Martinez H., 2005. Pregnancy rates in repeat breeder heifers following multiple artificial insemination during spontaneous oestrus. *ACTA Vet. Scand.* 46: 1-12.

Buckley F., O'Sullivan K., Mee J.F., Evans R.D., Dillon., 2003. Relationships Among milk yield, body condition, cow weight, and reproduction in spring calved holstein-friesians. *J. Dairy Sci.* 86: 2308-2319.

Burke J.M., de la Sota R.L., Risco C.A., Staples C.R., Schmitt E.J.P., Thatcher W.W., 1996. Evaluation of timed insemination using gonadotropin-releasing hormone agonist in lactating dairy cows. *J. Dairy Sci.* 79: 1383-1393.

Calemari L., Abeni F., Calegari F., Stefanini L., 2007. Metabolic conditions of lactating Frisian cows during the hot season in the Po Valley. 2. Blood minerals and acid-base chemistry. *Int. J. Biometeorol.* 52: 97-107.

Campiotti M., 2007. Gestione, primo limite all'efficienza riproduttiva. Supplemento a : *L'informatore Agrario* 15-18.

Cappock C.E., 1985. Energy nutrition and metabolism of lactating dairy cows. *J. Dairy Sci.* 68: 3403-3410.

Cavalieri J., Rabbie A.R., Hepworth G., Macmillan K.L., 2005. Effects of artificial insemination on submission rates of lactating dairy cows synchronized and resynchronized with intravaginal progesterone releasing devices and oestradiol benzoate. *Anim. Reprod. Sci.* 90: 39-55.

Centro Meteorologico di Teolo (ARPAV). Dati relativi alle temperature medie, massime e minime, all'umidità ambientale e alla ventilazione delle aree oggetto dello studio in riferimento agli anni compresi tra il 1992-1999.

Chandler P.T., Martin J.E., 1973. Computerized management information system. *J. Dairy Sci.*, vol. 58, n.°2.

Clapper J.A., Ottobre J.S., Ottobre A.C., Zartman D.L., 1990. Estrual rise in body temperature in the bovine I. Temporal relationships with serum patterns of reproductive hormones. *Anim. Reprod. Sci.* 23: 89-98.

Colina L.A., 2005. Gestione della riproduzione nei piccoli e medi allevamenti di bovine da latte. *Large animal review* 5: 33-35.

Comin A., Ranaville B., Marchini E., Maiero S., Cairoli F., Prandi A., 2005. Technical note: direct enzyme immunoassay of progesterone in bovine milk whey. *J. Dairy Sci.* 88: 4239-4242.

Dalton J.C., Nadir S., Bame J.H., Noftsinger M., Nebel R.L., Saacke R.G., 2001. Effect of time of insemination on number of accessory sperm, fertilization rate, and embryo quality in nonlactating dairy cattle. *J. Dairy Sci.* 84: 2413-2418.

De la Casa A.C., Ravelo A.C., 2003. Assessing temperature and humidity conditions for dairy cattle in Cordoba, Argentina. *Int. J. Biometereol.* 48: 6-9.

De Rensis F., Allegri M., 1998. Il rilevamento dell'estro e l'induzione dell'ovulazione nella specie bovina. *Large animal review* 1: 25-31.

De Rensis F., Marconi P., 1999. Gli indici di fertilità per la valutazione dell'efficienza riproduttiva della bovina da latte. *Large animal review* 2: 13-22.

De Rensis F., Scaramuzzi R.J., 2003. Heat stress and seasonal effects on reproduction in the dairy cow-a review. *Theriogenology* 60: 1139-1151.

Dransfield M.B.G., Nebel R.L., Pearson R.E., Warnick L.D., 1998. Timing of insemination for dairy cows identified in estrous by radiotelemetric estrous detection system. *J. Dairy Sci.* 81: 1874-1882.

Ealy D., Arechiga C.F., Bray D.R., Risco C.A., Hansen P.J., 1994. Effectiveness of short-term cooling and vitamin E for alleviation of infertility induced by heat stress in dairy cow. *J. Dairy Sci.* 77: 3601-3607.

Edwards J.L., Hansen P.J., 1996. Elevated temperature increases heat shock protein 70 synthesis in bovine two-cell embryos and compromises function of maturing oocytes. *Biol. Reprod.* 55: 340-346.

Eicker S., Stewart S., 2007. Principi generali del monitoraggio della riproduzione. *Large animal review* 13: 81-84.

Enevoldsen C., Sorensen J.T., 1992. Effects of dry period length on clinical mastitis and other major clinical health disorders. *J. Dairy Sci.* 75: 1007-1014.

Esslemont R.J., Kossaibati M.A., 2000. The use of database to manage fertility. *Anim. Reprod. Sci.* 60-61: 725-741.

Ferguson J.D., 1998. Assessing reproductive performance and components of progressive herd reproductive programs. *I Sem. SATA.*

Ferguson J.D., 2007. Programmi per migliorare l'efficienza riproduttiva. www.anafi.it/indeco/estero2.pdf.

Fetrow J., McClary D., Harman R., Butcher K., Weaver L., Studer E., Ehrlich J., Etherington W., Guterbock W., Kingborg D., Reneau J., Williamson N., 1989. Calculating selected reproductive indices: Recommendations of the American association of bovine practitioners. *J. Dairy Sci.* 73:78-90.

Fricke P.M., 2002. Scanning the future-ultrasonography as a reproductive management tool for dairy cattle. *J. Dairy Sci.* 85: 1918-1926.

Fricke P.M., 2007. Sviluppo di un programma sistematico di gestione della riproduzione per le bovine lattifere in produzione. *Large animal review* 13: 175-183.

Fuquay J.W., 1981. Heat stress as it affects animal production. *J. Anim. sci.* 52: 164-174.

Fregonesi J.A., Leaver J.D., 2001. Behaviour, performance and health indicators of welfare for dairy cows housed in strawyard or cubicle systems. *Livestock Production Science* 68: 205-211.

Garbarino E.J., Hernandez J.A., Shearer J.K., Risco C.A., Thatcher W.W., 2004. Effect of lameness on ovarian activity in post-partum holstein cow. *J. Dairy Sci.* 87: 4123-4131.

Gearhart M.A., 1990. Relationship of changes in condition score to cow health in holsteins. *J. Dairy Sci.* 73:3132-3141.

Gillund P., Reksen O., Grohon Y.T., Karlberg., 2002. Body condition related to ketosis and reproductive performance in Norwegian dairy cows. *J. Dairy Sci.* 84: 1390-1396.

Grimard B., Freret S., Chevallir A., Pinto A., Ponsart C., Humblot p., 2005. Genetic and environmental factors influencing first service conception rate and embryonic/foetal mortality in low fertility dairy herds. *Anim. Reprod. Sci.* 91: 31-44.

Guidobono Cavalchini A., Rigamonti L., Tangorra F.M., Zaninelli M., 2004. Robot di mungitura e software gestionali. *Quaderni della ricerca* 31: 16.

Gumen A., Rastani R.R., Grummer R.R., Wiltbank M.C., 2005. Reduced dry periods and varying prepartum diets alter postpartum ovulation and reproductive measures. *J. Dairy Sci.* 88: 2401-2411.

Gwazdauskas F.C., Nobel R.L., Sprecher D.J., 1990. Effectiveness of rump-mounted devices and androgenized females for detection of estrous in dairy cattle. *J. Dairy Sci.* 73: 2965.

Hafez E.S.E. and Hafez B., 2002. Folliculogenesis, Egg maturation and Ovulation. *Reproduction in farm Animal. Hafez E.S.E.. 7 th° ed. Lippincott Williams & Wilkins* 5: 68-81.

Hall J.G., Branton C., Stone E.J., 1959. Estrous, Estrous Cycle, Ovulation Time, Time of service and fertility of Dairy Cattle in Louisiana. *J. Dairy Sci.* 42: 1086-1094.

Heersche G., Nobel R.L., 1994. Measuring efficiency and accuracy of detection of estrus. *J. Dairy Sci.* 77:2754-2761.

Hein K.G., Allrich L.D., 1992. Influence of exogenous adrenocorticotropic hormone on estrous behaviour in cattle. *J. Anim. sci.* 70:243-247.

Howell J.L., Fuquay J.W., Smith A.E., 1994. Corpus luteum growth and function in lactating holstein cow during spring and summer. *J. Dairy Sci.* 77: 735-739.

Hunter R.H.F., Greve T., 1997. Could artificial insemination of cattle be more fruitful? Penalties associated with agein eggs. *Reprod. Domest. Anim.* 32: 137-141.

Igono M.O., Johnson H.D., Stevens B.J., Krause J.F., Shanklin M.D., 1987. Physiological, productive and economic benefits of shade, spray and fan system versus shade for Holstain cows during summer heat. *J. Dairy Sci.* 70: 1069-1079.

Ingrham R.H., Gillette D.D., Wagner W.D., 1971. Relationship of temperature and umidity to conception rates of Holstain Cows in Subtropical Climate. *J. Dairy Sci.* Vol 57, N.°4.

Jacobsen K.L., 1999. Il benessere delle bovine da latte nei climi caldi-umidi. Parte II. La riduzione dello stress. *Large animal rewiew* 1: 39-46.

Johnson H.D., 1987. Bioclimates and livestock. Bioclimatology and the adaptation of livestock. *Elsevier science publication, New York*.

Jordan E.R., 2003. Effects of heat stress on re production. *J. Dairy Sci.* 86: E104-E114.

Kadokawa H., Martin G.B., 2006. A new prospective on management of reproduction in dairy cows: the need for detailed metabolic information, an improved selection index and extended lactation. *J. Reprod. Devel.* 52: 161-168.

Katanami Y.M., Drost M., Monson R.L., Rutledge J.J., Krininger C.E., Block J., 2002. Pregnancy rates following timed embryo transfer with fresh or vitrified in vitro produced embryos in lactating dairy cows under heat stress condition. *Theriogenology* 58: 171-182.

Kiddy C.A., 1977. Variation in physical activity a san indicator of estrous in dairy cow. *J. Dairy Sci.* 60: 235-238.

King G.J., Hurnick J.F., Robertson H.A., 1976. Ovarian functions and estrous in dairy cows during early lactation . *J. Anim Sci.* 42: 688-692.

Kirakofe G.H., 1980. Uterine involution: its role in regulating post partum interval. *J. Am. Sci.* 51: 16-20.

Knuston R.J., Allrich R.D., 1988. Influence of nutrition on serum concentration of progesterone, luteinizing hormone and estrous behaviour in dairy herds. *J. Anim. sci.* 66: 90.

Koningsonn K., Savoini G., Govoni N., Invernizzi G., Prandi A., Kindahl H., Veronesi M.C., 2008. Energy balance, Leptin, NEFA and IGF-I plasma concentrations and resumpions of post partum ovarian activity in Swedish red and white breed cow. *ACTA Vet. Scand.* 50: 3.

Koningson K., Kask K., Gustafsonn H., Kindahl H., Parvizi N., 2001. 15-ketodihydro-PGF_{2a}, Progesterone and cortisol profiles in heifers after induction of parturition by injection of dexamethasone. *ACTA Vet. Scand.* 42: 151-159.

Kornmatitsuk B., Franzen G., Gustafson H., Kindahl H., 2003. Endocrine measurements and calving performance of Swedish red and white holstein dairy cattle with special respect to stillbirth. *ACTA Vet. Scand.* 44: 21-33.

Kruger L., Korte J., Tsousis G., Herzog K., Bollwein H., 2008. Changes in uterine blood flow during the first twelve weeks after parturition in holstein frisian cows. *Proceedings 13th International Conference, Production diseases in farm animals, Leipzig* 11: 406.

Kuhn M.T., Hutchison J.L., Norman H.D., 2005. Characterization of days dry for United States holstein. *J. Dairy Sci.* 88: 1147-1155.

Lauderdale J. W., 1974. Estrous detection and synchronization of dairy cattle in large herds. *J. Dairy Sci.* 57: 348.

Lopes A.S., Butler S.T., Gilbert R.O., Butler W.R., 2006. Relationship of pre ovulatory follicle size, estradiol concentration and season to pregnancy outcome of dairy cows. *Anim. Reprod. Sci.* 99: 34-43.

Lucy M.C., 2007. The bovine dominant ovarian follicle. *J. Anim. sci.* 85: E89-E99.

Maatije K., Loeffler S.H., Engel B., 1997. Predicting optimal time in insemination of cows that show visual sign of estrous by estimating onset of estrous with pedometer. *J. Dairy Sci.* 80: 1098-1105.

Maust L.E., McDowell R.E., Hooven N.V., 1972. Effect of summer weather on performance of Holstein cows in three stages of lactation. *J. Dairy Sci.* 55: 1133-1139.

Meadows C., Rejala-Schultz P.J., Frazer G.S., 2005. A spreadsheet-based model demonstrating the nonuniform economic effects of varying reproductive performance in Ohio dairy herds. *J. dairy sci.* 88: 1244-1254.

Mee J.F., 2007. The role of veterinarian in bovine fertility management on modern dairy farm. *Theriogenology* 68: S257-S265.

Michael N.,2000. Reproductive Management System. *Dairy AI Industry*, ABS Global.

Michael N.,2005. Il miglioramento dei redditi degli allevamenti da latte attraverso la gestione della riproduzione. *Large animal review* 5: 37-43.

Moe P.W., 1981. Energy metabolism of dairy cattle. *J. Dairy Sci.* 64: 1120-1139.

Monty D. E., Racowsky C., 1987. In vitro evaluation of early embryo viability and development in summer heat-stressed superovulated dairy cows. *Theriogenology* 28: 451-465.

Moraris R., Valente A., Almeida J.C., Silva A.M., Soares S., Reis M.J., Valentim M., Azevedo J., 2006. Concept study of an implantable microsystem for electrical resistance and temperature measurements in dairy cows, suitable for estrous detection. *Sensor. Actuat. A-Phys.* 132: 354-361.

Moreira F., de la Sota R.L., Diaz T., Thatcher W.W., 2000. Effect of day of the estrous cycle at the initiation of a timed artificial insemination protocol on reproductive responses in dairy heifers. *J. Anim. sci.* 78: 1568-1576.

Mosher M.D., Ottobre J.S., Heibel G.K., Zartman D.L., 1990. Estrual rise in body temperature in the bovine. The temporal relationship with ovulation. *Anim. Reprod. Sci.* 23: 99-108.

Nardone A., Lacetera N., Bernabucci U., Ronchi B., 1997. Composition of colostrum from dairy heifers exposed to high air temperature during late pregnancy and the early postpartum period. *J. Dairy Sci.* 80: 838-844.

Navanukraw C., Reynolds L.P., Kirsh J.D., Grazul-Bilska A.T., Redmer D.A., Fricke P.M., 2004. A modified presynchronization protocol improves fertility to timed artificial insemination in lactating dairy cows. *J. Dairy Sci.* 87: 1551-1557.

Nebel R.L., Dransfield M.G., Jobst S.M., Bame J.H., 2000. Automated electronic system for the detection of oestrous and timing of AI in cattle. *Anim. Reprod. Sci.* 60-61: 713-723.

Nielsen B.L., 1999. Perceived welfare issues in dairy cattle, with special emphasis on metabolic stress. *Anim. Sci.* 24: 1-8.

Noordhuizen J.P., 2004. Gestione della salute e della produzione dell'allevamento e sua relazione con la gestione del rischio qualitativo negli allevamenti di bovine da latte. *Large animal review* 1: 21-25.

Odet N., 2003. What are production diseases, and how do we manage them? *ACTA Vet. Scand., Suppl.* 98: 21-32.

Oltenu P.A., Rounsaville T.R., Milligan R.A., Foote R.H., 1981. Systems analysis for designing reproductive management programs to increase production and profit in dairy herds. *J. Dairy Sci.* 64: 2096-2104.

Opsomer G., Bossaert S., Cools S., De Kruif A., 2008. Reduced fertility in modern high yielding dairy cows: etiology and prevention. *Proceedings 13th International Conference, Production diseases in farm animals, Leipzig* 11: 390-401.

Parmigiani E., Cattaneo P., Bresciani C., Morini G., Bigliardi E., Di Ianni F., Ferrari L., Buddemeier J., 2006. Gynecological system score (GSS) nella valutazione dell'apparato riproduttore della bovina da latte. *Buiatria, Journal for the italian association for buiatrics* 87-97.

Portaluppi M.A., Stevenson J.S., 2005. Pregnancy Rates in lactating dairy cows after presynchronization of estrous cycles and variations of Ovsynch Protocol. *J. Dairy Sci.* 88: 914-921.

Pryce J.E., Coffey M.P., Simm G., 2001. The relationship between body condition score and reproductive performance. *J. Dairy Sci.* 84: 1508-1515.

Pryce J.E., Coffey M.P., Brotherstone S.H., Woolliams J.A., 2002. Genetic relationship between calving interval and body condition score conditional on milk yield. *J. Dairy Sci.* 85: 1590-1595.

Putney D.J., Mullins S., Thatcher W.W., Drost M., Gross T.S., 1989. Embryonic development in superovulated dairy cattle exposed to elevated ambient temperature between the onset of estrus and insemination. *Anim. Reprod. Sci.* 19: 37-51.

Pursley J.R., Mee M.O., Witbank M.C., 1995. Synchronization of ovulation in dairy cows using PGF₂ α and GnRH. *Theriogenology* 44: 915-923.

Purwanto B.P., Abo Y., Sakamoto R., Furomoto F., Yamamoto S., 1990. Diurnal patterns of heat production and heart rate under thermoneutral conditions in Holstein Friesian cows differing in milk production. *J. Agric. Sci.* 114: 139-142.

Redden K.D., Kennedy A.D., Jngalls J.R., Gilson T.L., 1993. Detection of estrus by radiotelemetric monitoring of vagina and ear skin temperature and pedometer measurements of activity. *J. Dairy Sci.* 76: 713-721.

Reimers T.J., Smith R.D., Newman S.K., 1985. Management factors affecting reproductive performance of dairy cows in the northeastern United States. *J. Dairy Sci.* 68:963-966.

Roche J.F., 2006. The effects of nutritional management of the dairy cow on reproductive efficiency. *Anim. Reprod. Sci.* 96: 282-296.

Roelofs J.B., Bouwman E.G., Dieleman S.J., van Eerdenburg F.J., Kaal-Lansbergen L.M., Soede N.M., Kemp B., 2004. Influence of repetitive rectal ultrasound examinations of hormone profiles and behaviour around oestrus and ovulation in dairy cattle. *Theriogenology* 62: 1337-1352.

Roelofs J.B., van Eerdenburg F.J., Soede N.M., Kemp B., 2005. Pedometer readings for estrus detection and as predictor for time of ovulation in dairy cattle. *Theriogenology* 64: 1690-1703.

Roelofs J.B., Soede N.M., Kemp B., 2006. Insemination strategy based on ovulation prediction on dairy cattle. *Vlaams Diergen. tijdschrift* 75:70-78.

Seengers H., 1998. Reasons for culling in French Holstein cows. *Prev. Vet. Med.* 36: 257-271.

Seengers H., 2008. Economics of the reproductive performance of dairy herds. *Proceeding XXIV World buiatric congress 2006, Nizza* 292-302.

Sellars C.B., Dalton J.C., Manzo R., Day J., Ahmadzadeh A., 2006. Time and incidence of ovulation and conception rates after incorporating estradiol cypionate into a timed artificial insemination protocol. *J. Dairy Sci.* 89: 620-626.

Senger P.L., 1994. The estrous detection problem: New concepts, technologies, and possibilities. *J. Dairy Sci.* 77: 2745-2753.

Senger P.L., Becker W.C., Davidge S.T., Hillers J.K., Reveer J.J., 1988. Influence of cornual insemination on conception in dairy cattle. *J. Anim. sci.* 66: 1010-3126.

Smith M.F., 1986. Recent Advances in Corpus Luteum Physiology. *J. Dairy Sci.* 69: 911-926.

Sorge U.S., Kelton D.F., Lissemore K.D., Sears W., Fetrow J., 2007. Evaluation of the dairy comp 305 module “cow value” in two Ontario dairy herds. *J. Dairy Sci.* 90: 5784-5797.

Stabenfeldt G.H., Edqvist L.E., 2002. Attività riproduttiva della femmina. *Fisiologia degli animali domestici*. Ed. italiana a cura di Bacci M.L., Baratta M., Barboni B., Bono G., Caola G., Fazio E., Ferlazzo A., Forni M., Gaiani R., Galeatti G., Grasselli F., Mattioli M., Panzera M., Parmeggiani A., Piccione G., Simontacchi C., Spinaci M., Tamanini C., Ed. Idelson-Gnocchi 36: 736-769.

Stevenson J.S., Schmidt M.K., Call E.P., 1981. Estrous intensity and conception rates in Holsteins. *J. Dairy Sci.* 66: 275-280.

Tenhagen B.A., Surholt R., Wittke M., Vogel C., Drillich M., Heuwieser W., 2004. Use of Ovsynch in dairy herds-differences between primiparous and multiparous cows. *Anim. Reprod. Sci.* 81: 1-11.

Tezzele R., 1997. Nuovi indici di fertilità. *L'allevatore Trentino* 1: 10-15.

Thatcher W.W., 1974. Effects of season, climate and temperature on reproduction and lactation. *J. Dairy Sci.* 57: 360-368.

Ullah G., Fuquay J.W., Keawhoong T., Clark B.L., Pogue D.E., Murphy E.J., 1996. Effect of gonadotrophin-releasing hormone at estrous on subsequent luteal function and fertility in lactating Holstein during heat stress. *J. Dairy Sci.* 79: 1950-1953.

Varner M., Maatje K., Nielen M., Rossing W., 1994. Changes in dairy cow pedometer reading with different number of cows in oestrus. *Dairy housing Conf.* 434-442.

Vasconcelos J.L.M., Silcox R.W., Rosa G.J., Pursley G.R., Wiltbank M.C., 1999. Synchronization rate, size of ovulatory follicle and pregnancy rate after synchronization of ovulation beginning on different days of the estrous cycle in lactating dairy cows. *Theriogenology* 52: 1067-1078.

West J.W., 2003. Effects of heat stress on production in dairy cattle. *J. Dairy Sci.* 86: 2131-2144.

William W.T., Frank F.B., Jeffrey J.K., Joan S. and Wolfenson D., 1984. Maternal recognition of pregnancy in cattle. *J. Dairy Sci.* 67: 2797-2811.

Wiltbank M.C., 1998. Improving reproductive efficiency in high producing dairy cow. *AACV Sydney* 571-583.

Wilson S.J., Marion R.S., Spain J.N., Spiers D.E., Keisler D.H., Lucy M.C., 1998. Effects of controlled heat stress on ovarian function of dairy cattle. 1. Lactating cows. *J. Dairy Sci.* 81: 2124-2131.

Xu Z.Z., McKnight D.J., Vishwanath R., Pitt C.J., Burton L.J., 1998. Estrous detection using radiotelemetry or visual observation and tail painting for dairy cow on pasture. *J. Dairy Sci.* 81: 2890-2896.

RINGRAZIAMENTI

Un particolare ringraziamento al *prof.* Stefano Romagnoli per avermi dato l'opportunità di poter svolgere questa ricerca e per la disponibilità.

Ringrazio il *dott.* Calogero Stelletta per il supporto che mi ha dato durante tutto il periodo della tesi, per l'impegno, la partecipazione attiva e l'interesse al lavoro che ho svolto; lo ringrazio anche perché tante volte si è dimostrato, oltre che il mio correlatore, anche un amico.

Un particolare ringraziamento anche ai *dott.* Arnaldo Azzolin e Giuseppe Brisighella per avermi dato la possibilità di consultare e trattare i dati delle aziende che ho esaminato e per la disponibilità durante le uscite effettuate in allevamento.

Dediche:

Alla mia mamma e papà perché vi voglio bene e perché questo traguardo importante l'ho raggiunto anche per merito vostro..

..alla mia sorellina perché, anche se vivi lontano, per me è come se non fossi mai andata via e so che posso sempre contare su te..

..alla Robi perché c'è un po' di te in ogni cosa che faccio..

..a Davide perché ti sei sempre dimostrato un amico..

..a Gabriele per questi anni di Università e per tutte le esperienze che abbiamo vissuto insieme..

..ai miei compagni di appartamento e a tutti i miei amici che sono qui con me in questo giorno importante..